

Datasheet: MCA5954GA

Description:	MOUSE ANTI PIG CD8 BETA CHAIN
Specificity:	CD8 BETA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	PPT23
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/50 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Porcine thymus membrane lysate
Fusion Partners	Lymph node cells from immunized BALB/c mice were fused with cells of the NSO myeloma cell line
Specificity	<p>Mouse anti Pig CD8 beta chain, clone PPT23, recognizes the porcine homologue of the human CD8 beta chain cell surface antigen.</p> <p>Characterization of clone PPT23, also known under the clone designation FYP1C5, has demonstrated that on peripheral blood lymphocytes and spleen, this antibody binds to cells that are CD3⁺, CD4⁻, CD8^{hi} and as such defines this antibody as a specific marker of porcine α/β T cells. Characterization of clone PPT23 has shown that in thymic tissue both CD8^{lo} and CD8^{hi} cells are recognized (Yang H & Parkhouse R.M. 1997). Inhibition studies have demonstrated that clone PPT23 recognizes a different epitope of on the CD8 beta chain to clone PPT22.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> 1. Yang, H. & Parkhouse, R.M. (1997) Differential expression of CD8 epitopes amongst porcine CD8-positive functional lymphocyte subsets. Immunology. 92 (1): 45-52. 2. Mair, K.H. <i>et al.</i> (2015) Carbopol improves the early cellular immune responses induced by the modified-live vaccine Ingelvac PRRS[®] MLV. Vet Microbiol. 176 (3-4): 352-7. 3. Sinkora, M. <i>et al.</i> (2007) Two groups of porcine TCRgammadelta+ thymocytes behave and diverge differently. J Immunol. 178 (2): 711-9.
Further Reading	1. Zuckermann, F.A. <i>et al.</i> (1998) Report on the analyses of mAb reactive with porcine CD8 for the second international swine CD workshop. Vet Immunol Immunopathol. 60 (3-4): 291-303.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

Recommended Useful Reagents

[MOUSE ANTI PIG wCD8 ALPHA:FITC \(MCA1223F\)](#)
[MOUSE ANTI PIG wCD8 ALPHA \(MCA1223GA\)](#)
[MOUSE ANTI PIG wCD8 ALPHA:RPE \(MCA1223PE\)](#)
[MOUSE ANTI PIG CD5:FITC \(MCA2307F\)](#)
[MOUSE ANTI PIG CD4 ALPHA:FITC \(MCA1749F\)](#)
[MOUSE ANTI PIG CD4 ALPHA:RPE \(MCA1749PE\)](#)
[MOUSE ANTI PIG CD4 ALPHA \(MCA1749GA\)](#)
[MOUSE ANTI PIG CD3 \(MCA5951GA\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M381339:210512'

Printed on 20 Sep 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)