

Datasheet: MCA5957GA

BATCH NUMBER 0614

Description:	MOUSE ANTI PIG CSF1R
Specificity:	CSF1R
Other names:	CD115, CSF-1R
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ROS8G11
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			1/25 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting	▪			
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Results may be enhanced using permeabilisation. Bio-Rad recommends the use of Leucoperm™ (product code [BUF09](#)) for this purpose.

Target Species

Pig

Species Cross Reactivity

Reacts with: Dog

Does not react with: Human, Horse, Sheep, Bovine

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant pCSF1R-Ig / Fc fusion protein
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the Ba/F3 myeloma cell line.
Specificity	<p>Mouse anti Pig CSF1R, clone ROS8G11, recognizes the porcine homologue of human CSF1R, also known as CSF-1R, M-CSF receptor, CD115 and c-fms. CSF1R (CD115) is a single pass type 1 transmembrane protein belonging to the type III protein kinase family and is the cell surface receptor for both CSF1 and IL-34. Evidence from comparative sequence analysis across a range of vertebrate species indicates that CSF1 and IL-34 interact with distinct regions of CSF1R (Garceau et al. 2010).</p> <p>CSF1R cell surface expression appears to be one of the earliest events in macrophage lineage cell commitment and CSF1R expression appears primarily limited to macrophages (Garceau et al. 2010). The development of the monoclonal antibody ROS8G11 specifically recognizing porcine CSF1R provides an antibody that will assist with research into porcine monocyte and macrophage biology (Moffat et al. 2014). Clone ROS8G11 has been tested for cross reactivity in a limited number of species, and while it does not recognize human or equine CSFR1, it has been shown to recognize canine CD115.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	1. Fernández-Caballero, T. <i>et al.</i> (2018) Phenotypic and functional characterization of porcine bone marrow monocyte subsets. Dev Comp Immunol. 81: 95-104.
Further Reading	<p>1. Kapetanovic, R. <i>et al.</i> (2013) The impact of breed and tissue compartment on the response of pig macrophages to lipopolysaccharide. BMC Genomics 14: 581.</p> <p>2. Garceau, V. <i>et al.</i> (2010) Pivotal Advance: Avian colony-stimulating factor 1 (CSF-1), interleukin-34 (IL-34), and CSF-1 receptor genes and gene products. J Leukoc Biol. 87: 753-64.</p> <p>3. Gow, D.J. <i>et al.</i> (2013) Cloning and expression of feline colony stimulating factor receptor (CSF-1R) and analysis of the species specificity of stimulation by colony stimulating factor-1 (CSF-1) and interleukin-34 (IL-34). Cytokine. 61 (2): 630-8.</p>

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA5957GA>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@405](#), [DyLight@488](#),
[DyLight@800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M368525:200529'

Printed on 10 Jul 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)