

Datasheet: MCA5957GA

BATCH NUMBER 0614

Description:	MOUSE ANTI PIG CSF1R
Specificity:	CSF1R
Other names:	CD115, CSF-1R
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ROS8G11
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			1/25 - 1/200
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting	▪			
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

(1) Results may be enhanced using permeabilisation. Bio-Rad recommends the use of Leucoperm™ (product code [BUF09](#)) for this purpose.

Target Species	Pig
Species Cross Reactivity	<p>Reacts with: Dog</p> <p>Does not react with: Human, Horse, Sheep, Bovine</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>

Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Recombinant pCSF1R-Ig / Fc fusion protein
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the Ba/F3 myeloma cell line.
Specificity	<p>Mouse anti Pig CSF1R, clone ROS8G11, recognizes the porcine homologue of human CSF1R, also known as CSF-1R, M-CSF receptor, CD115 and c-fms. CSF1R (CD115) is a single pass type 1 transmembrane protein belonging to the type III protein kinase family and is the cell surface receptor for both CSF1 and IL-34. Evidence from comparative sequence analysis across a range of vertebrate species indicates that CSF1 and IL-34 interact with distinct regions of CSF1R (Garceau <i>et al.</i> 2010).</p> <p>CSF1R cell surface expression appears to be one of the earliest events in macrophage lineage cell commitment and CSF1R expression appears primarily limited to macrophages (Garceau <i>et al.</i> 2010). The development of the monoclonal antibody ROS8G11 specifically recognizing porcine CSF1R provides an antibody that will assist with research into porcine monocyte and macrophage biology (Moffat <i>et al.</i> 2014). Clone ROS8G11 has been tested for cross reactivity in a limited number of species, and while it does not recognize human or equine CSFR1, it has been shown to recognize canine CD115.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul
References	1. Fernández-Caballero, T. <i>et al.</i> (2018) Phenotypic and functional characterization of porcine bone marrow monocyte subsets. Dev Comp Immunol. 81: 95-104.
Further Reading	<p>1. Kapetanovic, R. <i>et al.</i> (2013) The impact of breed and tissue compartment on the response of pig macrophages to lipopolysaccharide. BMC Genomics 14: 581.</p> <p>2. Garceau, V. <i>et al.</i> (2010) Pivotal Advance: Avian colony-stimulating factor 1 (CSF-1), interleukin-34 (IL-34), and CSF-1 receptor genes and gene products. J Leukoc Biol. 87: 753-64.</p> <p>3. Gow, D.J. <i>et al.</i> (2013) Cloning and expression of feline colony stimulating factor receptor (CSF-1R) and analysis of the species specificity of stimulation by colony stimulating factor-1 (CSF-1) and interleukin-34 (IL-34). Cytokine. 61 (2): 630-8.</p>

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA5957GA>
10040

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight®405](#), [DyLight®488](#),
[DyLight®800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M368525:200529'

Printed on 24 May 2025

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)