

Datasheet: MCA5972GA

BATCH NUMBER 159438

| | |
|----------------------|----------------------|
| Description: | MOUSE ANTI PIG CD335 |
| Specificity: | CD335 |
| Other names: | NKp46 |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | VIV-KM1 |
| Isotype: | IgG1 |
| Quantity: | 0.1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | 1/50 - 1/200 |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin | | | ▪ | |
| ELISA | | | ▪ | |
| Immunoprecipitation | | | ▪ | |
| Western Blotting | | | ▪ | |
| Immunofluorescence | ▪ | | | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system to a concentration equivalent to their test reagent.

| | |
|---------------------------------|---|
| Target Species | Pig |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |

| | |
|---------------------------------------|---|
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |
| Immunogen | Fusion protein consisting of the extracellular region of porcine CD335. |
| Fusion Partners | Spleen cells from immunized Balb/c mice were fused with cells of the SP2/0 myeloma cell line |
| Specificity | <p>Mouse anti Pig CD335 antibody, clone VIV-KM1 recognizes the porcine homologue of human CD335, also known as NKp46 and natural cytotoxicity triggering receptor 1 (NCR1), a member of the natural cytotoxicity receptor (NCR) family.</p> <p>CD335 is a type I transmembrane protein, with two extracellular C2-type immunoglobulin-like domains, which functions as an activating receptor and is involved in the control of viral infection and tumor development. CD335 is expressed by human natural killer cells (Sivori et al.1997). The development of monoclonal antibodies to bovine CD335 (clone AKS1) (Storset et al. 2004) and ovine CD335 (clone EC1.1) (Connelley et al.2011) have enabled researchers to identify and better understand ruminant NK cells.</p> <p>Mouse anti Pig CD335 antibody, clone VIV-KM is the first monoclonal developed to specifically identify porcine CD335 and provides a reagent to facilitate a better understanding of the pig immune system and aid in the understanding of the role of NK cells in host pathogen defense. Porcine CD335 is not expressed by all NK cells and expression may be influenced by cytokine production (Mair et al. 2012).</p> |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. |
| References | <ol style="list-style-type: none"> 1. Mair, K.H. et al. (2013) Porcine CD8αdim/-NKp46high NK cells are in a highly activated state. Vet Res. 44: 13. 2. Forberg, H. et al. (2014) Early responses of natural killer cells in pigs experimentally infected with 2009 pandemic H1N1 influenza A virus. PLoS One. 9 (6): e100619. 3. Yang, G. et al. (2017) Characterizing porcine invariant natural killer T cells: A comparative study with NK cells and T cells. Dev Comp Immunol. 76: 343-51. 4. Haach, V. et al. (2023) A polyvalent virosomal influenza vaccine induces broad cellular and humoral immunity in pigs. Virology J. 20 (1): 181. |
| Further Reading | <ol style="list-style-type: none"> 1. Sivori, S. et al. (1997) p46, a novel natural killer cell-specific surface molecule that mediates cell activation. J Exp Med. 186 (7): 1129-36. 2. Storset, A.K. et al. (2004) NKp46 defines a subset of bovine leukocytes with natural killer cell characteristics. Eur J Immunol. 34 (3): 669-76. 3. Connelley, T. et al. (2011) NKp46 defines ovine cells that have characteristics corresponding to NK cells. Vet Res. 42: 37. |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. |

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

| | |
|--------------------------------------|--|
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA5972GA 10040 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| | |
|---|---|
| Rabbit Anti Mouse IgG (STAR12...) | RPE |
| Goat Anti Mouse IgG IgA IgM (STAR87...) | Alk. Phos. , HRP |
| Goat Anti Mouse IgG (STAR76...) | RPE |
| Rabbit Anti Mouse IgG (STAR13...) | HRP |
| Goat Anti Mouse IgG (STAR70...) | FITC |
| Goat Anti Mouse IgG (H/L) (STAR117...) | Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP |
| Goat Anti Mouse IgG (Fc) (STAR120...) | FITC , HRP |
| Rabbit Anti Mouse IgG (STAR9...) | FITC |
| Goat Anti Mouse IgG (STAR77...) | HRP |

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

Recommended Useful Reagents

[RAT ANTI HUMAN CD3:Pacific Blue® \(MCA1477PB\)](#)
[RAT ANTI HUMAN CD3:Alexa Fluor®647 \(MCA1477A647\)](#)
[MOUSE ANTI PIG CD3:FITC \(MCA5951F\)](#)
[MOUSE ANTI PIG CD3:RPE \(MCA5951PE\)](#)
[MOUSE ANTI PIG CD25 \(MCA1736GA\)](#)
[MOUSE ANTI PIG CD45:FITC \(MCA1222F\)](#)
[MOUSE ANTI PIG wCD8 ALPHA:RPE \(MCA1223PE\)](#)
[MOUSE ANTI PIG CD107a:Alexa Fluor® 647 \(MCA2315A647\)](#)
[MOUSE ANTI PIG CD107a:FITC \(MCA2315F\)](#)

| | | | | | |
|----------------------------------|---|------------------|---|---------------|---|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|---|------------------|---|---------------|---|

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M381344:210512'

Printed on 19 Jan 2024

