

# Datasheet: MCA5972PE BATCH NUMBER 152586

| Description:  | MOUSE ANTI PIG CD335:RPE |  |  |
|---------------|--------------------------|--|--|
| Specificity:  | CD335                    |  |  |
| Other names:  | NKp46                    |  |  |
| Format:       | RPE                      |  |  |
| Product Type: | Monoclonal Antibody      |  |  |
| Clone:        | VIV-KM1                  |  |  |
| Isotype:      | lgG1                     |  |  |
| Quantity:     | 100 TESTS                |  |  |

# **Product Details**

| Applications    | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |   |  |  |  |  |  |
|-----------------|--|---|--|--|--|--|--|
|                 |  | Yes No                                  | Not Determined                                   | Suggested Dilution   |  |  |  |
|                 | Flow Cytometry   | •                                       |  | Neat   |  |  |  |
|                 | •  | s use in such proce<br>mmended that the | dures. Suggested wor<br>user titrates the produc | echnique this does not<br>king dilutions are given as<br>ct for use in their own |  |  |  |
| Target Species  | Pig  |   |  |  |  |  |  |
| Product Form    | Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilised  |   |  |  |  |  |  |
| Reconstitution  | Reconstitute with 1 ml distilled water   |   |  |  |  |  |  |
| Max Ex/Em       | Fluorophore  | Excitation Max (nr                      | n) Emission Max (nm)                             |  |  |  |  |
|                 | RPE 488nm laser  | 496                                     | 578  |  |  |  |  |
|                 | RPE 561nm laser  | 546                                     | 578  |  |  |  |  |
| Preparation     | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant  |   |  |  |  |  |  |
| Buffer Solution | Phosphate buffered saline  |   |  |  |  |  |  |
| Preservative    | 0.09% Sodium Azide (NaN <sub>3</sub> )   |   |  |  |  |  |  |

| Stabilisers                   | 1% Bovine Serum Albumin<br>5% Sucrose  |
|-------------------------------|--|
| Immunogen                     | Fusion protein consisting of the extracellular region of porcine CD335   |
| Fusion Partners               | Spleen cells from immunised Balb/c mice were fused with cells of the SP2/0 myeloma cell line   |
| Specificity                   | <b>Mouse anti Pig CD335 antibody, clone VIV-KM1</b> recognizes the porcine homologue of human CD335, also known as NKp46 and natural cytotoxicity triggering receptor 1 (NCR1), a member of the natural cytotoxicity receptor (NCR) family.  |
|                               | CD335 is a type I transmembrane protein, with two extracellular C2-type immunoglobulin-like domains, which functions as an activating receptor and is involved in the control of viral infection and tumor development. CD335 is expressed by human natural killer cells (Sivori <i>et al.</i> 1997). The development of monoclonal antibodies to bovine CD335 (clone <u>AKS1</u> ) (Storset <i>et al.</i> 2004) and ovine CD335 (clone <u>EC1.1</u> ) ( <u>Connelley <i>et al.</i>2011</u> ) have enabled researchers to identify and better understand ruminant NK cells.  |
|                               | Mouse anti Pig CD335 antibody, clone VIV-KM is the first monoclonal developed to specifically identify porcine CD335 and provides a reagent to facilitate a better understanding of the pig immune system and aid in the understanding of the role of NK cells in host pathogen defense. Porcine CD335 is not expressed by all NK cells and expression may be influenced by cytokine production ( <u>Mair <i>et al.</i> 2012</u> ).  |
| Flow Cytometry                | Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul   |
|                               |  |
| References                    | <ol> <li>Forberg, H. <i>et al.</i> (2014) Early responses of natural killer cells in pigs experimentally infected with 2009 pandemic H1N1 influenza A virus. <u>PLoS One. 9 (6): e100619.</u></li> <li>Mair, K.H. <i>et al.</i> (2013) Porcine CD8αdim/-NKp46high NK cells are in a highly activated state. <u>Vet Res. 44: 13.</u></li> <li>Mair, K.H. <i>et al.</i> (2012) NKp46 expression discriminates porcine NK cells with different functional properties. <u>Eur J Immunol. 42 (5): 1261-71.</u></li> <li>Yang, G. <i>et al.</i> (2017) Characterizing porcine invariant natural killer T cells: A comparative study with NK cells and T cells. <u>Dev Comp Immunol. 76: 343-51.</u></li> </ol> |
| References<br>Further Reading | <ul> <li>infected with 2009 pandemic H1N1 influenza A virus. PLoS One. 9 (6): e100619.</li> <li>2. Mair, K.H. <i>et al.</i> (2013) Porcine CD8αdim/-NKp46high NK cells are in a highly activated state. Vet Res. 44: 13.</li> <li>3. Mair, K.H. <i>et al.</i> (2012) NKp46 expression discriminates porcine NK cells with different functional properties. Eur J Immunol. 42 (5): 1261-71.</li> <li>4. Yang, G. <i>et al.</i> (2017) Characterizing porcine invariant natural killer T cells: A</li> </ul>   |

| Guarantee                        | 12 months from date of despatch   |  |  |
|----------------------------------|---|--|--|
| Health And Safety<br>Information | Material Safety Datasheet documentation #20487 available at:<br>https://www.bio-rad-antibodies.com/SDS/MCA5972PE<br>20487 |  |  |
| Regulatory                       | For research purposes only  |  |  |

### Related Products

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

#### **Recommended Useful Reagents**

MOUSE ANTI PIG CD3:RPE (MCA5951PE) MOUSE ANTI PIG CD16:RPE (MCA1971PE) MOUSE ANTI SHEEP CD335 (MCA5933GA) MOUSE ANTI BOVINE CD335 (MCA2365GA) MOUSE ANTI PIG CD27:RPE (MCA5973PE)

| North & South | Tel: +1 800 265 7376            | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|---------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751            |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-ra | d.com     | Email: antibody_sales_uk@bio-ra | d.com  | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401448:220715'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint