

## Datasheet: MCA5982P

<b>Description:</b>	MOUSE ANTI HORSE IgE:HRP
<b>Specificity:</b>	IgE
<b>Format:</b>	HRP
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	3H10
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			1/500 - 1/5,000
Immunoprecipitation			▪	
Western Blotting			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Horse
<b>Product Form</b>	Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	0.01% Thiomersal
<b>Stabilisers</b>	HRP Stabiliser ( <a href="#">BUF052A</a> )
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Equine IgE
<b>Fusion Partners</b>	Spleen cells from immunised Balb/c mice were fused with cells of the P3X myeloma cell line
<b>Specificity</b>	<b>Mouse anti Horse IgE</b> , clone 3H10, recognizes native equine IgE and does not cross react with equine IgM, IgA or IgG.

IgE is an immunoglobulin primarily produced from plasma cells and, in normal serum, present at very low concentrations.

IgE is important in both type 1 hypersensitivity and immunity to parasite infections, in particular parasitic worms where equine IgE levels are significantly elevated following infection.

Monoclonal antibodies to equine IgE are of particular relevance to research into insect bite sensitivity, one of the most widely studied allergic diseases in equid species ([Schaffartzik, A. et al. 2012](#)).

---

<b>ELISA</b>	This product may be used as a detection reagent in a sandwich ELISA together with <a href="#">MCA5983GA</a> as the capture reagent.
<b>References</b>	1. Wilson, D.A. <i>et al.</i> (2006) Production of monoclonal antibodies specific for native equine IgE and their application to monitor total serum IgE responses in Icelandic and non-Icelandic horses with insect bite dermal hypersensitivity. <a href="#">Vet Immunol Immunopathol.112: 56-70.</a>
<b>Further Reading</b>	1. Schaffartzik, A. <i>et al.</i> (2012) Equine insect bite hypersensitivity: what do we know? <a href="#">Vet Immunol Immunopathol. 147: 113-26.</a>
<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10131 available at: 10131: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10131.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10131.pdf</a>
<b>Regulatory</b>	For research purposes only

---

## Related Products

### Recommended Useful Reagents

[MOUSE ANTI HORSE IgE \(MCA5983GA\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M368564:200529'

**Printed on 11 Aug 2020**