

Datasheet: MCA6005APC

Description:	RAT IgG2a NEGATIVE CONTROL:APC
Specificity:	RAT IgG2a NEGATIVE CONTROL
Format:	APC
Product Type:	Negative/Isotype Control
Isotype:	lgG2a
Quantity:	100 TESTS

Product Details

Applications

Immunogen

Trinitrophenol

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			*

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. *This antibody should be used at the same concentration as the test antibody.

Target Species	Negative Control
Product Form	Purified IgG conjugated to Allophycocyanin (APC) - lyophilized
Reconstitution	Reconstitute with 1.0 ml distilled water

Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm
	APC	650	661
Preparation	Purified IgG prepare supernatant	ed by affinity chromatog	raphy on Protein G
uffer Solution	Phosphate buffered	saline	
Preservative	0.09% Sodium Azid	le (NaN ₃)	
Stabilisers	1% Bovine Serum A	Albumin	
	5% Sucrose		

Specificity	Rat IgG2a negative control , a rat monoclonal raised against trinitrophenol, is recommended for use as a negative control to assess the level of non-specific binding of
	rat IgG2a test antibodies to the surface of human and mouse cells in flow cytometry.
	Test results have shown that this antibody is also suitable for use as a negative control with porcine and canine cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	1. Barraud-Lange, V. et al. (2020) Partial Sperm beta1 Integrin Subunit Deletion Proves it
	Involvement in Mouse Gamete Adhesion/Fusion. Int J Mol Sci. 21 (22)Nov 11 [Epub ahead of print].
	2. do Prado Duzanski, A. et al. (2022) Cell-mediated immunity and expression of MHC
	class I and class II molecules in dogs naturally infected by canine transmissible venereal
	tumor: Is there complete spontaneous regression outside the experimental CTVT? Research in Veterinary Science. 145: 193-204.
	3. Karayannopoulou, M. <i>et al.</i> (2022) Effect of major versus minor mastectomy on host
	immunity in canine mammary cancer Vet Immunol Immunopathol. Feb 24: 110403.
	4. Matralis, D.T. et al. (2023) Intracellular IFN-γ and IL-4 levels of CD4 + and CD8 + T cell
	in the peripheral blood of naturally infected (Leishmania infantum) symptomatic dogs
	before and following a 4-week treatment with miltefosine and allopurinol: a double-blinded
	controlled and cross-sectional study. Acta Vet Scand. 65 (1): 2.
	5. Rogato, F. et al. (2024) Leukemia cutis as a prominent clinical sign in a dog with acute
	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57.
Storage	myeloid leukemia. <u>Vet Clin Pathol. 53 (4): 448-57.</u> This product is shipped at ambient temperature.
Storage	myeloid leukemia. <u>Vet Clin Pathol. 53 (4): 448-57.</u> This product is shipped at ambient temperature. Prior to reconstitution store at +4°C.
Storage	myeloid leukemia. <u>Vet Clin Pathol. 53 (4): 448-57.</u> This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C.
Storage	myeloid leukemia. <u>Vet Clin Pathol. 53 (4): 448-57.</u> This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive
Storage	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57. This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we
Storage	myeloid leukemia. <u>Vet Clin Pathol. 53 (4): 448-57.</u> This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive
	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57. This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we
Guarantee Health And Safety	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57. This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitiv and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57. This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitiv and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use. 12 months from date of despatch Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA6005APC
Guarantee Health And Safety	myeloid leukemia. Vet Clin Pathol. 53 (4): 448-57. This product is shipped at ambient temperature. Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use. 12 months from date of despatch Material Safety Datasheet documentation #20487 available at:

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M441077:250523'

Printed on 23 May 2025