

Datasheet: MCA6012GA

BATCH NUMBER 169778

Description:	MOUSE ANTI CHICKEN CD184 / CXCR4
Specificity:	CD184 / CXCR4
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	9D9
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Chicken
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Chicken CXCR4 (chCXCR4) transfected HEK294 cells
External Database Links	UniProt: Q9DGI1 Related reagents
Specificity	<p>Mouse anti Chicken CD184 / CXCR4 clone 9D9, recognizes the chicken homologue of human CD184, also known as CXCR4 (C-X-C Receptor type 4) and fusin.</p> <p>CXCR4 is a receptor for the chemokine, stromal-derived factor-1 (SDF-1), also known as CXCL12. Research has demonstrated that in chicks CXCR4 is expressed by cardiac neural crest cells and together with SDF-1 is involved with the migration of cells and development of the heart. Where CXCR4 function is lost, cell migration is impaired resulting in cell death and misexpression of SDF-1 leading to cardiovascular defects (Escot <i>et al.</i> 2013). CXCR4 expression is also linked with other development processes including cerebellar development and with vascularization of the gastrointestinal tract. Clone 9D9 provides a useful antibody for studying development biological processes.</p> <p>Bursa cells may be used as a positive control for CXCR4 in flow cytometry.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> 1. Escot, S. <i>et al.</i> (2013) Misregulation of SDF1-CXCR4 signaling impairs early cardiac neural crest cell migration leading to conotruncal defects. Circ Res. 113: 505-16. 2. Häätle, S. <i>et al.</i> (2024) Delineation of chicken immune markers in the era of omics and multicolor flow cytometry Frontiers in Veterinary Science. 23 May [Epub ahead of print].
Further Reading	1. Kaiser, P. <i>et al.</i> (2005) A genomic analysis of chicken cytokines and chemokines. J Interferon Cytokine Res. 25: 467-84.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	<p>Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6012GA</p> <p>10040</p>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP

Recommended Useful Reagents

[MOUSE ANTI GROWTH CONE \(MCA1712\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M389662:210806'

Printed on 07 May 2025