

## Datasheet: MCA6014PE

**BATCH NUMBER 173391**

<b>Description:</b>	MOUSE ANTI HUMAN CD68:RPE
<b>Specificity:</b>	CD68
<b>Format:</b>	RPE
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	Y1/82A
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	100 TESTS

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) Membrane permeabilization is required for this application. The use of Leucoperm (Product Code [BUF09](#)) is recommended for this purpose.**

<b>Target Species</b>	Human									
<b>Product Form</b>	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized									
<b>Reconstitution</b>	Reconstitute with 1.0 ml distilled water Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.									
<b>Max Ex/Em</b>	<table border="1"> <thead> <tr> <th>Fluorophore</th> <th>Excitation Max (nm)</th> <th>Emission Max (nm)</th> </tr> </thead> <tbody> <tr> <td>RPE 488nm laser</td> <td>496</td> <td>578</td> </tr> <tr> <td>RPE 561nm laser</td> <td>546</td> <td>578</td> </tr> </tbody> </table>	Fluorophore	Excitation Max (nm)	Emission Max (nm)	RPE 488nm laser	496	578	RPE 561nm laser	546	578
Fluorophore	Excitation Max (nm)	Emission Max (nm)								
RPE 488nm laser	496	578								
RPE 561nm laser	546	578								
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant									

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Stabilisers</b>	1% Bovine Serum Albumin 5% Sucrose
<b>Immunogen</b>	Phytohaemagglutinin stimulated peripheral blood mononuclear cells.
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">P34810</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">968</a>    CD68    <a href="#">Related reagents</a></p>
<b>Fusion Partners</b>	Spleen cells from immunized Balb/c mice were fused with cells of the murine NS1 myeloma.
<b>Specificity</b>	<b>Mouse anti Human CD68 antibody, clone Y1/82A</b> recognizes the human CD68 cell surface antigen, a ~110 kDa glycoprotein primarily expressed by macrophages and monocytes.
<b>Flow Cytometry</b>	Use 10 µl of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100 µl.
<b>References</b>	<ol style="list-style-type: none"> <li>1. Micklem, K. <i>et al.</i> (1989) A human macrophage-associated antigen (CD68) detected by six different monoclonal antibodies. <a href="#">Br J Haematol. 73 (1): 6-11.</a></li> <li>2. Pulford, K.A. <i>et al.</i> (1990) Distribution of the CD68 macrophage/myeloid associated antigen. <a href="#">Int Immunol. 2 (10): 973-80.</a></li> <li>3. Holness, C.L. &amp; Simmons, D.L. (1993) Molecular cloning of CD68, a human macrophage marker related to lysosomal glycoproteins. <a href="#">Blood. 81 (6): 1607-13.</a></li> <li>4. Mahida, Y.R. <i>et al.</i> (1997) Migration of human intestinal lamina propria lymphocytes, macrophages and eosinophils following the loss of surface epithelial cells. <a href="#">Clin Exp Immunol. 109 (2): 377-86.</a></li> </ol>
<b>Storage</b>	<p>This product is shipped at ambient temperature.</p> <p>Prior to reconstitution store at +4°C.</p> <p>After reconstitution store at +4°C.</p> <p>DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #20487 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6014PE">https://www.bio-rad-antibodies.com/SDS/MCA6014PE</a>
<b>Regulatory</b>	For research purposes only

## Related Products

## Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL:RPE \(MCA691PE\)](#)

**Product inquiries:** [www.bio-rad-antibodies.com/technical-support](http://www.bio-rad-antibodies.com/technical-support)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)  
'M441082:250523'

**Printed on 19 Mar 2026**

---

© 2026 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)