

## Datasheet: MCA6045GA

**BATCH NUMBER 1803**

<b>Description:</b>	MOUSE ANTI PIG CD4
<b>Specificity:</b>	CD4
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	b38c6c7
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/50

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Pig
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Porcine leukocytes

<b>Specificity</b>	<p><b>Mouse anti Porcine CD4, clone b38c6c7</b> recognizes a ~55 kDa porcine homologue of the human CD4 antigen found on the surface of T helper cells. Clone b38c6c7 was confirmed to bind to a member of the CD4 alpha cluster at the 'Third International Workshop on Swine Leukocyte Differentiation Antigens' (<a href="#">Haverson et al. 2001</a>).</p> <p>Porcine CD4 is a type 1 transmembrane member of the immunoglobulin superfamily. Pigs are unusual among mammalian species as they appear to have four populations of resting T lymphocytes. In addition to CD4+/CD8- and CD4-/CD8+ lymphocytes they also appear to have significant populations of CD4-/CD8- and CD4+/CD8+ cells. Lymphoblasts with a double positive phenotype have been described in other species but not in the case of mature peripheral T cells (<a href="#">Saalmuller et al. 1987</a>).</p>
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul
<b>References</b>	<ol style="list-style-type: none"> <li>1. Saalmüller A <i>et al.</i> (2001) Summary of workshop findings for porcine T-lymphocyte-specific monoclonal antibodies. <a href="#">Vet Immunol Immunopathol. 80 (1-2): 35-52.</a></li> <li>2. Gabner, S.,<i>et al.</i> (2014) Immune response to <i>Cystoisospora suis</i> in piglets: local and systemic changes in T-cell subsets and selected mRNA transcripts in the small intestine. <a href="#">Parasite Immunology 36: 277–291</a></li> </ol>
<b>Storage</b>	<p>Store at +4°C or at -20°C if preferred.</p> <p>This product should be stored undiluted.</p> <p>Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6045GA">https://www.bio-rad-antibodies.com/SDS/MCA6045GA</a> 10040
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG1 (STAR132...) [RPE](#)

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

### Recommended Useful Reagents

[MOUSE ANTI PIG CD3:FITC \(MCA5951F\)](#)

[MOUSE ANTI PIG CD45 \(MCA1222GA\)](#)

[MOUSE ANTI PIG wCD8 ALPHA \(MCA1223GA\)](#)

[MOUSE ANTI PIG CD8 BETA CHAIN \(MCA5954GA\)](#)

[MOUSE ANTI PIG CD5:FITC \(MCA2307F\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M368644:200529'

**Printed on 28 May 2025**

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)