

Datasheet: MCA6048GA

| | |
|----------------------|--------------------------|
| Description: | MOUSE ANTI PIG CD8 ALPHA |
| Specificity: | CD8 ALPHA |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | 11/295/33 |
| Isotype: | IgG2a |
| Quantity: | 0.1 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | ▪ | | | |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin | | | ▪ | |
| Western Blotting | | | ▪ | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| | |
|---------------------------------------|---|
| Target Species | Pig |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0 mg/ml |

| | |
|--------------------------------------|---|
| Immunogen | Porcine lymphocytes |
| Specificity | <p>Mouse anti Pig CD8 alpha antibody, clone 11/295/33 recognizes an epitope on the alpha chain of porcine CD8. Clone 11/295/33 detects a different epitope from that bound by clone 76-2-11.</p> <p>In addition to thymocytes and cytotoxic T cells, CD8 alpha is expressed on porcine NK cells. Swine CD8 alpha+CD3- NK cells are divided into NKp46+ (CD335) and NKp46- cells. A further CD8 alpha dim/- NKp46 high NK cell population can be found in porcine spleen and liver (Mair et al. 2012, 2013). Pigs are also remarkable in having significant levels of peripheral CD4 CD8 double positive T cells (Saalmüller et al. 1987; Zuckermann 1999).</p> |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul |
| Further Reading | 1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54. |
| Storage | <p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p> |
| Guarantee | 12 months from date of despatch |
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

| | |
|---|---|
| Goat Anti Mouse IgG (STAR77...) | HRP |
| Rabbit Anti Mouse IgG (STAR12...) | RPE |
| Rabbit Anti Mouse IgG (STAR8...) | DyLight@800 |
| Goat Anti Mouse IgG (STAR76...) | RPE |
| Human Anti Mouse IgG2a (HCA037...) | HRP |
| Rabbit Anti Mouse IgG (STAR9...) | FITC |
| Goat Anti Mouse IgG (Fc) (STAR120...) | FITC , HRP |
| Goat Anti Mouse IgG IgA IgM (STAR87...) | Alk. Phos. , HRP |
| Rabbit Anti Mouse IgG (STAR13...) | HRP |
| Goat Anti Mouse IgG (H/L) (STAR117...) | Alk. Phos. , DyLight@488 , DyLight@680 , DyLight@800 , FITC , HRP |

Goat Anti Mouse IgG (STAR70...) [FITC](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

Recommended Useful Reagents

[MOUSE ANTI PIG CD4 \(MCA6045GA\)](#)

[MOUSE ANTI PIG CD45RC \(MCA6049GA\)](#)

[MOUSE ANTI PIG CD3 \(MCA5951GA\)](#)

[MOUSE ANTI PIG CD8 BETA CHAIN \(MCA5954GA\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M382436:210513'

Printed on 06 Jan 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)