

Datasheet: MCA6050GA

Description:	MOUSE ANTI PIG SWC5
Specificity:	SWC5
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	b37c10
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/10 - 1/200
Immunohistology - Frozen			▪	
Immunoprecipitation			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Porcine T cells

Specificity	<p>Mouse anti Pig SWC5 antibody, clone b37c10 recognizes the porcine SWC5 cell surface antigen. SWC5 has a molecular weight of 180 kDa and is expressed only on subset of γ/δ T cells.</p> <p>SWC5 and CD2 expression divides γ/δ T cells into three subpopulations: CD2-SWC5-, CD2-SWC5+ and CD2+SWC5- γ/δ T cells subsets. The vast majority of CD2-SWC5- and CD2-SWC5+ T cells are negative for CD8α and SLA-DR and positive for CD27. Only thymus and spleen has an extra CD2+SWC5+ population.</p>
References	<ol style="list-style-type: none"> 1. Binns, R.M. <i>et al.</i> (1992) Subsets of null and gamma delta T-cell receptor+ T lymphocytes in the blood of young pigs identified by specific monoclonal antibodies. Immunology. 77 (2): 219-27. 2. Binns, R.M. (1994) The Null/gamma delta TCR+ T cell family in the pig. Vet Immunol Immunopathol. 43 (1-3): 69-77. 3. Sedlak, C. <i>et al.</i> (2014) CD2 and CD8α define porcine γ/δ T cells with distinct cytokine production profiles. Dev Comp Immunol. 45 (1): 97-106.
Further Reading	<ol style="list-style-type: none"> 1. Piriou-guzylack, L. & Salmon, H. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39 (6): 54.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight@800
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight@488 , DyLight@680 , DyLight@800 , FITC , HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M368658:200529'

Printed on 04 Jan 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)