

Datasheet: MCA6058GA

## **BATCH NUMBER 160181**

Description:	MOUSE ANTI HUMAN CD19	
Specificity:	CD19	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	HIB19	
Isotype:	lgG1	
Quantity:	0.1 mg	

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			1/5 - 1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

External Database Links	UniProt:	
Immunogen	Human CD19	
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )	
Buffer Solution	Phosphate buffered saline	
Preparation	Purified IgG prepared by affinity chromatography	
Product Form	Purified IgG - liquid	
Target Species	Human	

P15391 Related reagents

**Entrez Gene:** 

930 CD19 Related reagents

Specificity

**Mouse anti Human CD19 antibody, clone HIB19** recognizes CD19 also known as B4. CD19 is a 95 kDa type I transmembrane glycoprotein and member of the immunoglobulin superfamily. It is expressed on all B cells, excluding plasma cells, and follicular dendritic cells. CD19 plays a role in B cell activation, development and differentiation. CD19 forms the B cell receptor (BCR) with CD21 and CD81. Upon activation, the cytoplasmic segment of CD19 undergoes phosphorylation which leads to recruitment of Src-family kinases and PI-3 kinase signaling.

 Flow Cytometry
 Use 10 μl of the suggested working dilution to label 1x10<sup>6</sup> cells in 100ul

 Storage
 Store at +4°C. DO NOT FREEZE.

 This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.

 Guarantee
 12 months from date of despatch

Health And Safety
Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6058GA

10040

**Regulatory** For research purposes only

## Related Products

#### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77...) HRP
Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP
Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

**Recommended Negative Controls** 

# MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

# Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint