

# Datasheet: MCA6058GA

Description:	MOUSE ANTI HUMAN CD19
Specificity:	CD19
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	HIB19
lsotype:	lgG1
Quantity:	0.1 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.					
	Flow Cytometry	165	NO	Not Determined	1/5 - 1/20	
	Where this product has i	ise in such mended tha	procedure at the use	es. Suggested work r titrates the produc	chnique this does not ting dilutions are given as	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by affinity chromatography					
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )					
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml					
Immunogen	Human CD19					
External Database Links	UniProt: <u>P15391</u> <u>Related r</u>	reagents				

Entrez Gene:

930 CD19 Related reagents

Specificity	<b>Mouse anti Human CD19 antibody, clone HIB19</b> recognizes CD19 also known as B4. CD19 is a 95 kDa type I transmembrane glycoprotein and member of the immunoglobulin superfamily. It is expressed on all B cells, excluding plasma cells, and follicular dendritic cells. CD19 plays a role in B cell activation, development and differentiation. CD19 forms the B cell receptor (BCR) with CD21 and CD81. Upon activation, the cytoplasmic segment of CD19 undergoes phosphorylation which leads to recruitment of Src-family kinases and PI-3 kinase signaling.
Flow Cytometry	Use 10 $\mu$ I of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
Storage	Store at +4 <sup>o</sup> C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6058GA 10040
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77)	HRP			
Rabbit Anti Mouse IgG (STAR12)	RPE			
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>				
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>			
Goat Anti Mouse IgG (STAR76)	RPE			
Rabbit Anti Mouse IgG (STAR13)	HRP			
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,			
	DyLight®650, DyLight®680, DyLight®800,			
	FITC, HRP			
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP			
Recommended Negative Controls				

### Recommended Negative Controls

### MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401852:220718'

#### Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint