

Datasheet: MCA6074GA

Description:	MOUSE ANTI HUMAN INTERLEUKIN-9
Specificity:	IL-9
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	MH9A4
Isotype:	IgG2b
Quantity:	0.1 mg

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			1 ug/ml - 4 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Baculovirus-expressed recombinant human interleukin-9
External Database Links	UniProt:

Related reagents

P15248

#### **Entrez Gene:**

3578 IL9 Related reagents

#### **Specificity**

**Mouse anti Human interleukin-9 antibody, clone MH9A4** recognizes interleukin-9 (IL-9), also known as cytokine P40 and T cell growth factor P40.

IL-9 is a 14 kDa pro-inflammatory cytokine, secreted predominantly by T cells. Initally associated with the Th2 phenotype, IL-9 is now known to be secreted by other Th subsets including Th17. Through its interaction with the interleukin-9 receptor, and the downstream activation of STAT3, MAPK and PI3K pathways, IL-9 stimulates immune cell proliferation and inhibits apoptosis. IL-9 has long been recognized as an important mediator of asthma and the allergic response.

#### References

1. Pang, N. *et al.* (2018) TGF-β/Smad signaling pathway positively up-regulates the differentiation of Interleukin-9-producing CD4+T cells in human *Echinococcus granulosus* infection. <u>J Infect. Jan 29 [Epub ahead of print].</u>

#### Storage

Store at +4°C. DO NOT FREEZE.

This product should be stored undiluted.

#### Guarantee

12 months from date of despatch

# Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6074GA

10040

Regulatory

For research purposes only

## Related Products

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (STAR70...) FITC

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

## **Recommended Negative Controls**

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 Fax: +1 919 878 3751 America

Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.comd a Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M389698:210806'

## Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint