

Datasheet: MCA6077F BATCH NUMBER 162551

Description:	RAT ANTI MOUSE Ly-6G:FITC
Specificity:	Ly-6G
Other names:	Gr-1
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	1A8
Isotype:	lgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Torget Cassias	M		
Target Species	Mouse		
Product Form	Purified IgG conjugate	ed to Fluorescein Isoth	niocyanate Isomer 1
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
Buffer Solution	Purified IgG prepared Phosphate buffered sa	, , ,	rapny
Preservative Stabilisers	<0.1% Sodium Azide	(NaN ₃)	
Approx. Protein Concentrations	IgG concentration 0.5	mg/ml	

lmmunogen	Ly-6G transfected EL-4J cell line
External Database Links	UniProt: P35461 Related reagents Entrez Gene: 546644 Ly6g Related reagents
Fusion Partners	Spleen cells from immunized LEW/N rats were fused with cells from the murine SP2/0 myeloma.
Specificity	Rat anti Mouse Ly-6G antibody, clone 1A8 recognizes lymphocyte antigen 6 complex, locus G (Ly-6G).
	Ly-6G is a cell surface, glycosylphosphatidylinositol (GPI) anchored protein, expressed on granulocytes in the bone marrow and peripheral blood. Clone 1A8 has been used <i>in vivo</i> in mice to deplete neutrophils (<u>Daley <i>et al.</i> 2008</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	1. Gabrielli, E. <i>et al.</i> (2018) <i>Saccharomyces cerevisiae</i> -based probiotic as novel anti-fungal and anti-inflammatory agent for therapy of vaginal candidiasis. <u>Benef Microbes. 9 (2): 219-30.</u> 2. Rabadi, M.M. <i>et al.</i> (2019) Peptidyl arginine deiminase-4 exacerbates ischemic AKI by finding NEMO (NFkB Essential Modulator). <u>Am J Physiol Renal Physiol. Apr 03 [Epub ahead of print].</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6077F 10040
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

RAT IgG2a NEGATIVE CONTROL:FITC (MCA1212F)

Email: antibody_sales_us@bio-rad.com

North & South Tel: +1 800 265 7376
America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint