

Datasheet: MCA6077F BATCH NUMBER 180809

Description:	RAT ANTI MOUSE Ly-6G:FITC
Specificity:	Ly-6G
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	1A8
Isotype:	lgG2a
Quantity:	0.1 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution	
Flow Cytometry				Neat	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse		
roduct Form	Purified IgG conju	ugated to Fluorescein Isoth	niocyanate Isomer 1
x Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525
fer Solution	Phosphate buffer	ed saline	
servative pilisers	0.09% Sodium Az	zide (NaN <sub>3</sub> )	
prox. Protein ncentrations	IgG concentration	n 0.5 mg/ml	
munogen	Ly-6G transfected	d EL-4J cell line	

External Database Links	UniProt:				
	P35461 Related reagents				
	Entrez Gene:				
	546644 Ly6g Related reagents				
Fusion Partners	Spleen cells from immunized LEW/N rats were fused with cells from the murine SP2/0 myeloma.				
Specificity	Rat anti Mouse Ly-6G antibody, clone 1A8 recognizes lymphocyte antigen 6 complex, locus G (Ly-6G).				
	Ly-6G is a cell surface, glycosylphosphatidylinositol (GPI) anchored protein, expressed on granulocytes in the bone marrow and peripheral blood. Clone 1A8 has been used <i>in vivo</i> in mice to deplete neutrophils ( <u>Daley <i>et al.</i> 2008</u> ).				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul				
References	<ol> <li>Gabrielli, E. <i>et al.</i> (2018) <i>Saccharomyces cerevisiae</i>-based probiotic as novel anti-fungal and anti-inflammatory agent for therapy of vaginal candidiasis. <u>Benef Microbes.</u> 9 (2): 219-30.</li> <li>Rabadi, M.M. <i>et al.</i> (2019) Peptidyl arginine deiminase-4 exacerbates ischemic AKI by finding NEMO (NFkB Essential Modulator). <u>Am J Physiol Renal Physiol. Apr 03 [Epub ahead of print].</u></li> </ol>				
Storage	Store at +4°C. DO NOT FREEZE.  This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6077F">https://www.bio-rad-antibodies.com/SDS/MCA6077F</a> 10040				
Regulatory	For research purposes only				

# **Related Products**

## **Recommended Negative Controls**

### RAT IgG2a NEGATIVE CONTROL:FITC (MCA1212F)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

### Printed on 05 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint