

## Datasheet: MCA6077GA

**BATCH NUMBER 154625**

<b>Description:</b>	RAT ANTI MOUSE Ly-6G
<b>Specificity:</b>	Ly-6G
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	1A8
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>Immunogen</b>	Ly-6G transfected EL-4J cell line
<b>External Database Links</b>	<b>UniProt:</b>

[P35461](#)   [Related reagents](#)

**Entrez Gene:**

[546644](#)   Ly6g   [Related reagents](#)

---

<b>Fusion Partners</b>	Spleen cells from immunized LEW/N rats were fused with cells from the murine SP2/0 myeloma.
------------------------	---

---

<b>Specificity</b>	<b>Rat anti Mouse Ly-6G antibody, clone 1A8</b> recognizes lymphocyte antigen 6 complex, locus G (Ly-6G).  Ly-6G is a cell surface, glycosylphosphatidylinositol (GPI) anchored protein, expressed on granulocytes in the bone marrow and peripheral blood. Clone 1A8 has been used <i>in vivo</i> in mice to deplete neutrophils ( <a href="#">Daley et al. 2008</a> ).
--------------------	--

---

<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
-----------------------	--

---

<b>References</b>	<ol style="list-style-type: none"><li>Gabrielli, E. <i>et al.</i> (2018) <i>Saccharomyces cerevisiae</i>-based probiotic as novel anti-fungal and anti-inflammatory agent for therapy of vaginal candidiasis. <a href="#">Benef Microbes. 9 (2): 219-30.</a></li><li>Rabadi, M.M. <i>et al.</i> (2019) Peptidyl arginine deiminase-4 exacerbates ischemic AKI by finding NEMO (NFkB Essential Modulator). <a href="#">Am J Physiol Renal Physiol. Apr 03 [Epub ahead of print].</a></li></ol>
-------------------	---

---

<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6077GA">https://www.bio-rad-antibodies.com/SDS/MCA6077GA</a> 10040
--------------------------------------	---

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...)	<a href="#">DyLight@800</a>
Rabbit Anti Rat IgG (STAR17...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR69...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR73...)	<a href="#">RPE</a>
Rabbit Anti Rat IgG (STAR21...)	<a href="#">HRP</a>
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	<a href="#">DyLight@550</a> , <a href="#">DyLight@650</a> , <a href="#">DyLight@800</a>
Goat Anti Rat IgG (STAR131...)	<a href="#">Alk. Phos.</a> , <a href="#">Biotin</a>
Goat Anti Rat IgG (STAR72...)	<a href="#">HRP</a>

## Recommended Negative Controls

### RAT IgG2a NEGATIVE CONTROL (MCA1212)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M344231:190111'

**Printed on 28 Jan 2025**

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)