

Datasheet: MCA6078GA

BATCH NUMBER 166106

Description:	RAT ANTI MOUSE MHC CLASS II I-A/I-E
Specificity:	MHC CLASS II I-A/I-E
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	M5/114.15.2
Isotype:	IgG2b
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Activated C57BL/6 mouse spleen cells.
External Database Links	UniProt:

Fusion Partners	Immunized (BN x Lewis) _{F1} rat spleen cells were fused with the NS1 myeloma cell line.
------------------------	--

Specificity	<p>Rat anti Mouse MHC class II I-A/I-E antibody, clone M5/114.15.2 recognizes a polymorphic determinant shared by the mouse I-Ab/d/q and I-Ed/k MHC class II alloantigens expressed by mice of the H-2p/r/q/b/d/u haplotypes. This antibody does not recognize the I-Af/k/s MHC class II alloantigens.</p> <p>The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In mice, this complex is referred to as the histocompatibility 2 (H-2) region. MHC class II molecules are expressed by dendritic cells, B-cells and macrophages.</p>
--------------------	---

Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
-----------------------	--

References	<ol style="list-style-type: none">1. Anderson, M.S. & Miller, J. (1992) Invariant chain can function as a chaperone protein for class II major histocompatibility complex molecules. Proc Natl Acad Sci U S A. 89 (6): 2282-6.2. Miyazaki, T. <i>et al.</i> (1996) Mice lacking H2-M complexes, enigmatic elements of the MHC class II peptide-loading pathway. Cell. 84 (4): 531-41.3. Curtsinger JM <i>et al.</i> (1999) Inflammatory cytokines provide a third signal for activation of naive CD4+ and CD8+ T cells. J Immunol. 162 (6): 3256-62.4. Tan, C.S.E. <i>et al.</i> (2017) CD8+ T cell evasion mandates CD4+ T cell control of chronic gamma-herpesvirus infection. PLoS Pathog. 13 (4): e1006311.5. Lawler, C. & Stevenson, P.G. (2019) A CD4⁺ T cell/NK cell axis of γ-herpesvirus control. J Virol. Nov 06 [Epub ahead of print].
-------------------	--

Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6078GA 10040
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR73...)	RPE
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	DyLight@550 , DyLight@650 , DyLight@800
Rabbit Anti Rat IgG (STAR21...)	HRP
Rabbit Anti Rat IgG (STAR16...)	DyLight@800

Goat Anti Rat IgG (STAR131...)

[Alk. Phos., Biotin](#)

Rabbit Anti Rat IgG (STAR17...)

[FITC](#)

Goat Anti Rat IgG (STAR72...)

[HRP](#)

Goat Anti Rat IgG (STAR69...)

[FITC](#)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M389709:210806'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)