

## Datasheet: MCA6078GA

**BATCH NUMBER 180227**

<b>Description:</b>	RAT ANTI MOUSE MHC CLASS II I-A/I-E
<b>Specificity:</b>	MHC CLASS II I-A/I-E
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	M5/114.15.2
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Mouse
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>Immunogen</b>	Activated C57BL/6 mouse spleen cells.
<b>External Database Links</b>	<b>UniProt:</b>

---

<b>Fusion Partners</b>	Immunized (BN x Lewis) <sub>F1</sub> rat spleen cells were fused with the NS1 myeloma cell line.
------------------------	--

---

<b>Specificity</b>	<p><b>Rat anti Mouse MHC class II I-A/I-E antibody, clone M5/114.15.2</b> recognizes a polymorphic determinant shared by the mouse I-Ab/d/q and I-Ed/k MHC class II alloantigens expressed by mice of the H-2p/r/q/b/d/u haplotypes. This antibody does not recognize the I-Af/k/s MHC class II alloantigens.</p> <p>The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In mice, this complex is referred to as the histocompatibility 2 (H-2) region. MHC class II molecules are expressed by dendritic cells, B-cells and macrophages.</p>
--------------------	---

---

<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
-----------------------	--

---

<b>References</b>	<ol style="list-style-type: none"><li>1. Tan, C.S.E. <i>et al.</i> (2017) CD8+ T cell evasion mandates CD4+ T cell control of chronic gamma-herpesvirus infection. <a href="#">PLoS Pathog. 13 (4): e1006311.</a></li><li>2. Curtsinger JM <i>et al.</i> (1999) Inflammatory cytokines provide a third signal for activation of naive CD4+ and CD8+ T cells. <a href="#">J Immunol. 162 (6): 3256-62.</a></li><li>3. Miyazaki, T. <i>et al.</i> (1996) Mice lacking H2-M complexes, enigmatic elements of the MHC class II peptide-loading pathway. <a href="#">Cell. 84 (4): 531-41.</a></li><li>4. Anderson, M.S. &amp; Miller, J. (1992) Invariant chain can function as a chaperone protein for class II major histocompatibility complex molecules. <a href="#">Proc Natl Acad Sci U S A. 89 (6): 2282-6.</a></li><li>5. Lawler, C. &amp; Stevenson, P.G. (2019) A CD4<sup>+</sup> T cell/NK cell axis of <math>\gamma</math>-herpesvirus control. <a href="#">J Virol. Nov 06 [Epub ahead of print].</a></li></ol>
-------------------	--

---

<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Should this product contain a precipitate we recommend microcentrifugation before use.
----------------	--

---

<b>Guarantee</b>	12 months from date of despatch
------------------	---------------------------------

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6078GA">https://www.bio-rad-antibodies.com/SDS/MCA6078GA</a> 10040
--------------------------------------	---

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...)	<a href="#">DyLight@800</a>
Rabbit Anti Rat IgG (STAR17...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR72...)	<a href="#">HRP</a>
Goat Anti Rat IgG (STAR69...)	<a href="#">FITC</a>

Goat Anti Rat IgG (STAR73...)

[RPE](#)

Rabbit Anti Rat IgG (STAR21...)

[HRP](#)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) [DyLight@550](#), [DyLight@650](#), [DyLight@800](#)

Goat Anti Rat IgG (STAR131...)

[Alk. Phos.](#), [Biotin](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M344234:190111'

**Printed on 18 Jan 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)