

Datasheet: MCA6085 BATCH NUMBER 167049

Description:	MOUSE ANTI BOVINE CD14		
Specificity:	CD14		
Format:	Con S/N		
Product Type:	Monoclonal Antibody		
Clone:	CAM36A		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10
Functional Assays		-		

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Bovine
Species Cross Reactivity	Reacts with: Goat, Sheep, Bison, Water Buffalo, Cat, Dog, Pig N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Concentrated tissue culture supernatant - liquid
Preparation	Concentrated tissue culture supernatant clarified by filtration through a 0.2 micrometer filter
Buffer Solution	Serum free tissue culture medium containing proprietary protein free supplement
Preservative	0.09% Sodium Azide (NaN ₃)

Stabilisers Approx. Protein IgG concentration 1.0 mg/ml Concentrations **Immunogen** Activated goat lymphocytes **External Database UniProt:** Links Q95122 Related reagents **Entrez Gene:** 281048 CD14 Related reagents Specificity Mouse anti Bovine CD14, clone CAM36A, recognizes bovine CD14. CD14 is a co-receptor for bacterial lipopolysaccharide (LPS) and mediates the innate immune response. It is expressed at high levels on the surface of circulating monocytes, macrophages but also on bovine polymorphonuclear neutrophil leukocytes (PMN). Additionally, in cattle the soluble form of CD14 can be found present in the serum and milk (Sohn et al. 2004). CD14 signals through TLR4, MyD88, TIRAP and TRAF6 activating NFkB and eliciting the inflammatory response. Flow Cytometry Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul References 1. Ahn J.S. et al. (2002) Scavenger receptor cysteine-rich domains 9 and 11 of WC1 are receptors for the WC1 counter receptor. <u>J Leukoc Biol. 72 (2): 382-90.</u> 2. Zhang, Y. et al. (2001) Induction of interleukin-6 and interleukin-12 in bovine B lymphocytes, monocytes, and macrophages by a CpG oligodeoxynucleotide (ODN 2059) containing the GTCGTT motif. J Interferon Cytokine Res. 21 (10): 871-81. 3. Baillou, A. et al. (2024) Characterization of intestinal mononuclear phagocyte subsets in young ruminants at homeostasis and during Cryptosporidium parvum infection. Frontiers in Immunology. 15: 1379798. [Epub ahead of print]. **Storage** Store at +4°C. DO NOT FREEZE. Should this product contain a precipitate we recommend microcentrifugation before use. Guarantee 12 months from date of despatch **Health And Safety** Material Safety Datasheet documentation #20389 available at:

Related Products

Information

Regulatory

Recommended Secondary Antibodies

20389

For research purposes only

Goat Anti Mouse IgG1 (STAR132...) RPE

https://www.bio-rad-antibodies.com/SDS/MCA6085

Recommended Useful Reagents

MOUSE ANTI BOVINE CD11c (MCA6084)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418634:230427'

Printed on 17 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint