# Datasheet: MCA6098GA BATCH NUMBER 158375

scription: MOUSE ANTI PIG CD		
CD1		
Purified		
Monoclonal Antibody		
76-7-4		
lgG2a		
0.1 mg		

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
	Ye	s No	Not Determined	Suggested Dilution			
	Flow Cytometry			Neat			
	Where this product has not be necessarily exclude its use in a a guide only. It is recommende system using appropriate nega	such procedu ed that the us	res. Suggested workin er titrates the product	ng dilutions are given as			
Target Species	Pig						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by comb	vination of pre	ecipitation and chroma	tography techniques			
Buffer Solution	Borate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )						
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml						
Immunogen	Fresh dd miniature swine thym	locytes					
External Database Links	UniProt:						

	Q9XS72 Related reagents				
	Entrez Gene:				
	<u>396785</u> CD1.1 <u>Related reagents</u>				
Synonyms	CD1.1				
Specificity	<b>Mouse anti Pig CD1 antibody, clone 76-7-4</b> recognizes a porcine homologue of the human CD1 cell surface receptor. CD1 is a member of the immunoglobulin superfamily. While it is structurally similar to the MHC class I receptor CD1 differs functionally by presenting lipid antigens to T cells ( <u>Germain &amp; Margulies, 1993</u> ).				
	To date, five classes of the CD1 genes have been identified across different mammalian species, namely CD1A, CD1B, CD1C, CD1D, and CD1E (Brigl & Brenner, 2004). In swine various tissues express CD1C even though its gene has been reported to carry a loss-of-function mutation (Eguchi-Ogawa <i>et al.</i> 2007). CD1 is predominantly found on dendritic cells, macrophages, monocytes, and thymocytes (Chun <i>et al.</i> 1999).				
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul				
References	1. Pauly, T. <i>et al.</i> (1998) Infection with classical swine fever virus: effects on phenotype and immune responsiveness of porcine T lymphocytes. <u>J Gen Virol. 79 (Pt 1): 31-40.</u>				
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: https://www.bio-rad-antibodies.com/SDS/MCA6098GA 10077				
Regulatory	For research purposes only				

## **Related Products**

## **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87	) <u>HRP</u>
Goat Anti Mouse IgG (STAR76)	RPE
Rabbit Anti Mouse IgG (STAR13)	HRP
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos., DyLight®488, DyLight®550,</u>
	DyLight®650, DyLight®680, DyLight®800,
	<u>FITC, HRP</u>
Rabbit Anti Mouse IgG (STAR9)	FITC

Goat Anti Mouse IgG (STAR77...)HRPGoat Anti Mouse IgG (Fc) (STAR120...)FITC, HRP

### **Recommended Negative Controls**

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

### **Recommended Useful Reagents**

MOUSE ANTI PIG CD45RA (MCA1751GA) MOUSE ANTI PIG CD14 (MCA1218GA)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	d.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M334811:181203'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint