

Datasheet: MCA6098GA

BATCH NUMBER 161897

Description:	MOUSE ANTI PIG CD1	
Specificity:	CD1	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	76-7-4	
Isotype:	lgG2a	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by combination of precipitation and chromatography techniques
Buffer Solution	Borate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Fresh dd miniature swine thymocytes
External Database Links	UniProt:

Q9XS72 Related reagents

Entrez Gene:

396785 CD1.1 Related reagents

Synonyms	CD1.1
Specificity	Mouse anti Pig CD1 antibody, clone 76-7-4 recognizes a porcine homologue of the human CD1 cell surface receptor. CD1 is a member of the immunoglobulin superfamily. While it is structurally similar to the MHC class I receptor CD1 differs functionally by presenting lipid antigens to T cells (Germain & Margulies, 1993).
	To date, five classes of the CD1 genes have been identified across different mammalian species, namely CD1A, CD1B, CD1C, CD1D, and CD1E (<u>Brigl & Brenner, 2004</u>). In swine various tissues express CD1C even though its gene has been reported to carry a loss-of-function mutation (<u>Eguchi-Ogawa et al. 2007</u>). CD1 is predominantly found on dendritic cells, macrophages, monocytes, and thymocytes (<u>Chun et al. 1999</u>).
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	1. Pauly, T. <i>et al.</i> (1998) Infection with classical swine fever virus: effects on phenotype and immune responsiveness of porcine T lymphocytes. <u>J Gen Virol. 79 (Pt 1): 31-40.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: https://www.bio-rad-antibodies.com/SDS/MCA6098GA 10077
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)

Rabbit Anti Mouse IgG (STAR12...)

RPE

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR13...)

HRP

Recommended Negative Controls

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

Email: antibody_sales_us@bio-rad.com

Recommended Useful Reagents

MOUSE ANTI PIG CD45RA (MCA1751GA)
MOUSE ANTI PIG CD14 (MCA1218GA)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392059:211020'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint