

## Datasheet: MCA6098GA

<b>Description:</b>	MOUSE ANTI PIG CD1
<b>Specificity:</b>	CD1
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	76-7-4
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Pig
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by combination of precipitation and chromatography techniques
<b>Buffer Solution</b>	Borate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>Immunogen</b>	Fresh dd miniature swine thymocytes
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">Q9XS72</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">396785</a>    CD1.1    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	CD1.1

<b>Specificity</b>	<b>Mouse anti Pig CD1 antibody, clone 76-7-4</b> recognizes a porcine homologue of the human CD1 cell surface receptor. CD1 is a member of the immunoglobulin superfamily. While it is structurally similar to the MHC class I receptor CD1 differs functionally by presenting lipid antigens to T cells ( <a href="#">Germain &amp; Margulies, 1993</a> ).  To date, five classes of the CD1 genes have been identified across different mammalian species, namely CD1A, CD1B, CD1C, CD1D, and CD1E ( <a href="#">Brigl &amp; Brenner, 2004</a> ). In swine various tissues express CD1C even though its gene has been reported to carry a loss-of-function mutation ( <a href="#">Eguchi-Ogawa et al. 2007</a> ). CD1 is predominantly found on dendritic cells, macrophages, monocytes, and thymocytes ( <a href="#">Chun et al. 1999</a> ).
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
<b>References</b>	1. Pauly, T. <i>et al.</i> (1998) Infection with classical swine fever virus: effects on phenotype and immune responsiveness of porcine T lymphocytes. <a href="#">J Gen Virol. 79 ( Pt 1): 31-40.</a>
<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10077 available at: 10077: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10077.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10077.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight®800</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Human Anti Mouse IgG2a (HCA037...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>

### Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

### Recommended Useful Reagents

[MOUSE ANTI PIG CD45RA \(MCA1751GA\)](#)

[MOUSE ANTI PIG CD14 \(MCA1218GA\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

'M334811:181203'

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

**Printed on 01 May 2020**

---

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)