

## Datasheet: MCA6099F

<b>Description:</b>	MOUSE ANTI PIG B CELL SUBSET:FITC
<b>Specificity:</b>	B CELL SUBSET
<b>Format:</b>	FITC
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	BB6-10A10
<b>Isotype:</b>	IgM
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Pig		
<b>Product Form</b>	Purified IgM conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	FITC	490	525
<b>Preparation</b>	Purified IgM prepared by combination of precipitation and chromatography techniques		
<b>Buffer Solution</b>	Phosphate buffered saline		
<b>Preservative Stabilisers</b>	0.1% Sodium Azide (NaN <sub>3</sub> )		
<b>Approx. Protein Concentrations</b>	IgM concentration 0.5 mg/ml		
<b>Specificity</b>	<p><b>Mouse anti Pig B cell subset antibody, clone BB6-10A10</b>, appears to recognize an immature pig B cell population. Clone BB6-10A10 stains the following percentages of surface immunoglobulin (sIg) positive cells in porcine lymphoid tissues: 11-15% in peripheral blood, 22-23% in mesenteric lymph nodes, 79-87% in ileal Peyer's patches, 6-17 in spleen, and 0% in thymus (<a href="#">Boersma et al. 2001</a>).</p>		
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul		

<b>References</b>	1. Boersma, W.J. <i>et al.</i> (2001) Summary of workshop findings for porcine B-cell markers. <a href="#">Vet Immunol Immunopathol. 80 (1-2): 63-78.</a>
<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10303 available at: 10303: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10303.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10303.pdf</a>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Useful Reagents

[MOUSE ANTI PIG CD45RA:RPE \(MCA1751PE\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

'M334813:181203'

Printed on 20 May 2019