

Datasheet: MCA6100GA

BATCH NUMBER 164243

Description:	MOUSE ANTI PIG MONOCYTE/GRANULOCYTE
Specificity:	MONOCYTE/GRANULOCYTE
Other names:	CD172a, SWC3a
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	74-22-15
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by combination of precipitation and chro	matography techniques
Buffer Solution	Borate buffered saline	
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml	
Immunogen	Fresh dd miniature swine thymocytes	

Specificity	Mouse anti Pig Monocyte/Granulocyte antibody, clone 74-22-15, recognizes 90% of pig monocytes and granulocytes, in addition to 5% of lymphocytes, in peripheral blood. The target of Mouse anti Pig Monocyte/Granulocyte antibody, clone 74-22-15 is CD172a, similarly to clone BL1H7 (Haverson et al. 1994 , Blecha et al. 1994). CD172a/SWC3a is expressed on monocytes, dendritic cells, and granulocytes.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	 Labarque, G.G. <i>et al.</i> (2000) Effect of cellular changes and onset of humoral immunity on the replication of porcine reproductive and respiratory syndrome virus in the lungs of pigs. J Gen Virol. 81 (Pt 5): 1327-34. Blecha, F. <i>et al.</i> (1994) Workshop studies on monoclonal antibodies reactive against porcine myeloid cells. Vet Immunol Immunopathol. 43 (1-3): 269-72. Jarosz, Ł. <i>et al.</i> (2021) The Effect of Feed Supplementation with EM Bokashi® Multimicrobial Probiotic Preparation on Selected Parameters of Sow Colostrum and Milk as Indicators of the Specific and Nonspecific Immune Response. Probiotics Antimicrob Proteins. Oct 01 [Epub ahead of print].
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: https://www.bio-rad-antibodies.com/SDS/MCA6100GA 10077

Related Products

Regulatory

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)

Rabbit Anti Mouse IgG (STAR12...)

RPE
Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

For research purposes only

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Recommended Useful Reagents

MOUSE ANTI PIG CD14 (MCA1218GA)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392061:211020'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint