

Datasheet: MCA6116

Description:	MOUSE ANTI HUMAN CD134	
Specificity:	CD134	
Other names:	OX40, TNFRSF4	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	Ber-ACT35	
Isotype:	lgG1	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation	•			
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Primate N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	HTLV 1-transformed HUT-102 cells
External Database Links	UniProt: P43489 Related reagents Entrez Gene: 7293 TNFRSF4 Related reagents
Synonyms	TXGP1L
Specificity	Mouse anti Human CD134, clone Ber-ACT35 recognizes CD134 also known as OX40 and TNFRSF4, a 50 kDa glycoprotein. CD134 is a type I transmembrane protein and a member of the tumor necrosis factor superfamily. CD134 is primarily expressed by activated T cells, although the level of expression differs according to T-cell subpopulations (Buchan et al. 2018).
	OX40L also known as CD252 and TNFSF4 is the ligand of CD134. Upon ligand binding, the receptor recruits TNF receptor associated factor (TRAF) proteins which triggers downstream signaling events including NFkB pathways. This activation can regulate the number of effector T cells that accumulate in primary and secondary responses and determine the frequency of T cells that are generated (Croft 2010). Mutations affecting CD134 signaling has been linked with Kaposi sarcoma as well as susceptibility to infections.
	This clone Ber-ACT35 has been used in flow cytometry experiments to measure D134 expression levels on tumor-infiltrating Treg cells in mouse and human samples (<u>Vargas et al. 2018</u>).
Purity	>95% by SDS PAGE
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6116 10040

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)

Rabbit Anti Mouse IgG (STAR12...)

RPE

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR76...) RPE

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

 $\underline{\text{DyLight}\$650},\,\underline{\text{DyLight}\$680},\,\underline{\text{DyLight}\$800},$

FITC, HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401889:220718'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint