

Datasheet: MCA6116F

| Description: | MOUSE ANTI HUMAN CD134:FITC | | | | |
|---------------|-----------------------------|--|--|--|--|
| Specificity: | CD134 | | | | |
| Other names: | OX40, TNFRSF4 | | | | |
| Format: | FITC | | | | |
| Product Type: | Monoclonal Antibody | | | | |
| Clone: | Ber-ACT35 | | | | |
| Isotype: | lgG1 | | | | |
| Quantity: | 100 TESTS/400µl | | | | |
| | | | | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . | | | | | | | |
|-----------------|--|---------------------------------|--------------------|--|--------------------------|--|--|--|
| | | Yes | No | Not Determined | Suggested Dilution | | | |
| | Flow Cytometry | - | | | Neat | | | |
| | Where this product ha necessarily exclude its a guide only. It is recon system using appropri | s use in such p mmended that | rocedur the use | es. Suggested workin r titrates the product f | g dilutions are given as | | | |
| Target Species | Human | | | | | | | |
| Species Cross | Reacts with: Primate | | | | | | | |
| Reactivity | N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. | | | | | | | |
| Product Form | Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid | | | | | | | |
| Max Ex/Em | Fluorophore FITC | Excitation Max 490 | k (nm) | Emission Max (nm) 525 | | | | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant | | | | | | | |
| Buffer Solution | Phosphate buffered sa | aline | | | | | | |

| Preservative | <0.1% Sodium Azide (NaN ₃) |
|----------------------------------|---|
| Stabilisers | 0.2% Bovine Serum Albumin |
| Immunogen | HTLV 1-transformed HUT-102 cells |
| External Database Links | UniProt: <u>P43489</u> <u>Related reagents</u> Entrez Gene: <u>7293</u> TNFRSF4 <u>Related reagents</u> |
| Synonyms | TXGP1L |
| Specificity | Mouse anti Human CD134, clone Ber-ACT35 recognizes CD134 also known as OX40 and TNFRSF4, a 50 kDa glycoprotein. CD134 is a type I transmembrane protein and a member of the tumor necrosis factor superfamily. CD134 is primarily expressed by activated T cells, although the level of expression differs according to T-cell subpopulations (Buchan et al. 2018). |
| | OX40L also known as CD252 and TNFSF4 is the ligand of CD134. Upon ligand binding, the receptor recruits TNF receptor associated factor (TRAF) proteins which triggers downstream signaling events including NFkB pathways. This activation can regulate the number of effector T cells that accumulate in primary and secondary responses and determine the frequency of T cells that are generated (<u>Croft 2010</u>). Mutations affecting CD134 signaling has been linked with Kaposi sarcoma as well as susceptibility to infections. |
| | This clone Ber-ACT35 has been used in flow cytometry experiments to measure D134 expression levels on tumor-infiltrating Treg cells in mouse and human samples (<u>Vargas et al. 2018</u>). |
| Purity | >95% by SDS PAGE |
| Flow Cytometry | Use 4ul of the undiluted reagent to label 1×10^6 cells in 100ul |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. |
| Guarantee | Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date. |
| Health And Safety Information | Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA6116F 10041 |
| Regulatory | For research purposes only |

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: FITC (MCA928F)

| North & South | Tel: +1 800 265 7376 | Worldwide | Tel: +44 (0)1865 852 700 | Europe | Tel: +49 (0) 89 8090 95 21 |
|---------------|---------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America | Fax: +1 919 878 3751 | | Fax: +44 (0)1865 852 739 | | Fax: +49 (0) 89 8090 95 50 |
| | Email: antibody_sales_us@bio-ra | ad.com | Email: antibody_sales_uk@bio-ra | ad.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401887:220718'

Printed on 12 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint