

# Datasheet: MCA6121PE BATCH NUMBER 155149

Description:	MOUSE ANTI HUMAN CD150:RPE		
Specificity:	CD150		
Other names:	SLAM		
Format:	RPE		
Product Type:	Monoclonal Antibody		
Clone:	SLAM.4		
lsotype:	lgG1		
Quantity:	100 TESTS/1ml		

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry			Neat			
	Where this product has necessarily exclude its a guide only. It is recom system using appropria	not been tested for use in such procedu imended that the us te negative/positive	use in a particular teo ures. Suggested work er titrates the product controls.	chnique this does not ing dilutions are given as t for use in their own			
Target Species	Human						
Product Form	Purified IgG conjugated	l to R. Phycoerythrir	n (RPE) - liquid				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)				
	RPE 488nm laser	496	578	-			
	RPE 561nm laser	546	578				
Preparation	Purified IgG prepared by ion exchange chromatography from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative	<0.1% Sodium Azide (NaN <sub>3</sub> )						
Stabilisers	0.2% Bovine Serum Albumin						
Immunogen	Human CD150-transfected 300.19 cells						

External Database			
Links	UniProt:		
	Q13291 Related reagents		
	Entrez Gene		
	6504 SLAME1 Polated reagonts		
	0504 SLAWFT Related reagents		
Synonyms	SLAM		
Specificity	Mouse anti Human CD150 antibody. clone SLAM.4 recognizes CD150 also known as		
	signaling lymphocyte activation molecule (SLAM), is a member of the immunoglobulin		
	superfamily. CD150 is expressed in dendritic cells, Natural Killer (NK) cells, B and T cells		
	(Bhattocharjee and Yadava 2018).		
	CD150 is a membrane phosphoglycoprotein which contains 2 extracellular domains		
	corresponding to a variable and constant region, a general feature of the Ig superfamily		
	(Cocks et al. 1995). CD150 also has a cytoplasmic domain which contains 3 unique		
	tyrosine motifs with a conserved TxYxxV sequence. This tyrosine motif is the binding		
	domain for SLAM-associated protein (SAP) which form a complex together (Sayos et al		
	<u>1998</u> , Poy et al. 1999). This complex plays a role in the regulation of Natural killer (NK)		
	and T cell development. Mutations to SAP in humans results in X-linked		
	lymphoproliferative disease which is a fatal immunological disorder ( <u>Coffey et al. 1998</u> ).		
	Activation of CD150 co-activates T- or B-lymphocytes responses and plays a role in		
	bidirectional T-B cell stimulation (Carballido et al. 1997). It can also regulate NK and T cell		
	development. B cell regulation and antibody production/isotype switching (Veillette 2006)		
	CD150 is also the receptor that the measles virus recognizes (Tatsuo et al. 2000).		
	The SLAM.4 clone has been used in flow cytometry to analyze the cell distribution of		
	CD150 on leucocytes and lymphocytes as well as to distinguish between subsets of CD4+		
	and CD8+ T lymphocytes (Romero et al. 2001).		
Purity	>95% by SDS PAGE		
Flow Cytometry	Use 10ul of the undiluted reagent to label $1 \times 10^6$ cells in 100ul		
Storage	Store at +4°C. DO NOT FREEZE.		
	This product should be stored undiluted. This product is photosensitive and should be		
	protected from light.		
Guarantee	12 months from date of despatch		
Health And Safaty	Material Opfaty Dataska at documentation #100.11 available at		
Information	Internal Salety Datasneet documentation #10041 available at:		
	nups.//www.bio-rad-antibodies.com/SDS/MCA6121PE		
	10041		
Regulatory	For research purposes only		
- •			

## **Related Products**

### MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

North & South	Tel: +1 800 265 7376	/orldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.co	om	Email: antibody_sales_uk@bio-rad.	.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M373069:200818'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint