

Datasheet: MCA6124

**BATCH NUMBER 170915**

<b>Description:</b>	MOUSE ANTI HUMAN CD164
<b>Specificity:</b>	CD164
<b>Other names:</b>	Endolyn
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	67D2
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunoprecipitation	▪			
Western Blotting	▪			
Immunocytochemistry	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	<0.1% Sodium Azide (NaN <sub>3</sub> )
<b>Approx. Protein</b>	IgG concentration 1.0 mg/ml

## Concentrations

---

**Immunogen** Breast tumor cell line T-47D

---

## External Database Links

### UniProt:

[Q04900](#)    [Related reagents](#)

### Entrez Gene:

[8763](#)    CD164    [Related reagents](#)

---

## Specificity

**Mouse anti Human CD164 clone 67D2**, recognizes CD164, also known as endolyn, a 160 kDa transmembrane homodimer protein. It is composed of an extracellular region and two O-glycosylated mucin domains (I and II). These two domains are linked by a non-mucin cysteine rich subdomain.

CD164 is a member of the sialmucin family and is expressed by CD34+ hematopoietic progenitor cells, activated basophils, erythroid cells as well as various cancerous cells. A key role of CD164 is its involvement in regulating adhesion, migration and proliferation of hematopoietic progenitor cells ([Zannettino et al. 1998](#)).

Elevated expression of CD164 has been observed in patients with Sezary syndrome which is a primary cutaneous T-cell lymphoma and as such, has been suggested as a potential marker of this disease ([Guenova et al. 2016](#)).

This clone CD67D2 recognizes the class II epitope which is not sensitive to sialidase, N-glycanase and O-sialglycoprotease of CD164. This clones has been used in flow cytometry to examine CD164 upregulation in CD203c+ activated basophils ([Hennersdorf et al. 2005](#)).

---

**Purity** >95% by SDS PAGE

---

**Storage** Store at +4°C. DO NOT FREEZE.  
This product should be stored undiluted.

---

**Guarantee** Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 available at:  
<https://www.bio-rad-antibodies.com/SDS/MCA6124>  
10040

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)    [RPE](#)

Goat Anti Mouse IgG IgA IgM (STAR87...) [HRP](#)  
Goat Anti Mouse IgG (STAR76...) [RPE](#)  
Goat Anti Mouse IgG (STAR70...) [FITC](#)  
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)  
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)  
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)  
Goat Anti Mouse IgG (STAR77...) [HRP](#)  
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@550](#),  
[DyLight@650](#), [DyLight@680](#), [DyLight@800](#),  
[FITC](#), [HRP](#)

## Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M401951:220718'

Printed on 23 May 2025

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)