

Datasheet: MCA6132

BATCH NUMBER 155351

Description:	MOUSE ANTI HUMAN CD274
Specificity:	CD274
Other names:	PD-L1
Format:	Purified
Product Type:	Monoclonal Antibody
Product Type: Clone:	Monoclonal Antibody 29E.2A3
	,

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			
Immunohistology - Frozen (1)	-			
Functional Assays				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1)Acetone fixation is recommended

Target Species	Human
Species Cross Reactivity	Reacts with: Primate N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	Full length human CD274	
External Database Links	UniProt:	
	Q9NZQ7 Related reagents	
	Entrez Gene:	
	29126 CD274 Related reagents	
Synonyms	B7H1, PDCD1L1, PDCD1LG1, PDL1	
Specificity	Mouse anti Human CD274 antibody, clone 29E.2A3 detects as B7-H1 and PD-1L, a cell surface glycoprotein which is a moco-stimulatory molecules. CD274 is expressed constitutively of dendritic cells, and is induced on activated T cells, B cells, end cells in response to interferons alpha, beta and gamma.	ember of the B7 family of n macrophages and
	CD274 is reported to possess dual functions; inhibition of active co-stimulation of naïve T cells. CD274 inhibits proliferation of a to the co-inhibitory molecule CD279 (programmed death-1; PI of the regulatory cytokine interleukin-10. CD274 has also been early T cell priming and differentiation.	activated T cells via ligation 0-1) leading to the secretion
	Deregulated CD274 function has been reported in chronic vira infection, as well as in many autoimmune diseases and cance	
Purity	>95% by SDS PAGE	
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.	
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at https://www.bio-rad-antibodies.com/SDS/MCA6132	:
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) **RPE** Goat Anti Mouse IgG IgA IgM (STAR87...) HRP Goat Anti Mouse IgG (STAR70...) **FITC** Rabbit Anti Mouse IgG (STAR13...) HRP Rabbit Anti Mouse IgG (STAR9...) **FITC** Goat Anti Mouse IgG (STAR77...) **HRP** Goat Anti Mouse IgG (STAR76...) **RPE** Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550, DyLight®650, DyLight®680, DyLight®800, FITC, HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M353621:190509'

Printed on 15 Aug 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint