

Datasheet: MCA6132F BATCH NUMBER 149878

MOUSE ANTI HUMAN CD274:FITC		
MOUSE ANTI HUMAN CD274:FITC		
CD274		
PD-L1		
FITC		
Monoclonal Antibody		
29E.2A3		
lgG2b		
100 TESTS/400µl		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat			
Where this product has not been tested for use in a particular technique t							
	necessarily exclude its use in such procedures. Suggested working dilutions are given a a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Human						
Species Cross	Reacts with: Primate						
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	Fluorophore	Excitation Max (nr	n) Emission Max (nm)				
	FITC	490	525				
Preparation	Purified IgG prepared I supernatant	by affinity chromat	ography on Protein A froi	m tissue culture			

Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) 0.2% Bovine Serum Albumin				
Immunogen	Full length human CD274				
External Database Links	UniProt: Q9NZQ7 Related reagents Entrez Gene: 29126 CD274 Related reagents				
Synonyms	B7H1, PDCD1L1, PDCD1LG1, PDL1				
Specificity	Mouse anti Human CD274 antibody, clone 29E.2A3 detects human <u>CD274</u> , also known as B7-H1 and PD-1L, a cell surface glycoprotein which is a member of the B7 family of co-stimulatory molecules. CD274 is expressed constitutively on macrophages and dendritic cells, and is induced on activated T cells, B cells, endothelial cells and epithelial cells in response to interferons alpha, beta and gamma.				
	CD274 is reported to possess dual functions; inhibition of activate co-stimulation of naïve T cells. CD274 inhibits proliferation of activity to the co-inhibitory molecule CD279 (programmed death-1; PD-1 of the regulatory cytokine interleukin-10. CD274 has also been sh early T cell priming and differentiation.	vated T cells via ligation) leading to the secretion			
	Deregulated CD274 function has been reported in chronic viral an infection, as well as in many autoimmune diseases and cancers.	nd intracellular bacterial			
Purity	>95% by SDS PAGE				
Flow Cytometry	Use 4ul of the suggested working dilution to label 1x10 ⁶ cells in 1	l00ul			
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photoser protected from light.	nsitive and should be			
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA6132F 10041				
Regulatory	For research purposes only				

Related Products

MOUSE IgG2b NEGATIVE CONTROL:FITC (MCA691F)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M353608:190509'

Printed on 15 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint