

Datasheet: MCA6133PE

BATCH NUMBER 164986

Description:	escription: MOUSE ANTI HUMAN CD279:RPE	
Specificity:	CD279	
Other names:	PD-1	
Format:	RPE	
Product Type:	Monoclonal Antibody	
Clone:	EH12.2H7	
Isotype:	lgG1	
Quantity:	100 TESTS/1ml	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.biorad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Species Cross	Reacts with: Primate	

Reactivity

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form	Purified IgG conjugated to	R. Phycoerythrin (RPE) - liquid
--------------	----------------------------	---------------------------------

	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	RPE 488nm laser	496	578
	RPE 561nm laser	546	578

Preparation	Purified IgG prepared by size exclusion chromatography from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃) 0.2% Bovine Serum Albumin
External Database Links	UniProt: Q15116 Related reagents
	Entrez Gene: 5133 PDCD1 Related reagents
Synonyms	PD1
Specificity	Mouse anti Human CD279 antibody, clone EH12.2H7 detects <u>CD279</u> , a co-stimulatory molecule also known as programmed cell death-1 (PD-1).
	CD279 is a ~50-55 kDa membrane protein which is a member of the CD28 family, and functions as a regulator of T cell activation (<u>Fife and Pauken, 2011</u>). It has two specific ligands; CD274 (PD-L1) and CD273 (PD-L2), and their interaction is key in the balance between stimulatory and inhibitory signals needed for effective immune responses to microbes and self-tolerance.
	CD279 is a marker for germinal center-associated T cells (<u>Dorfman et al, 2006</u>) and is inducibly expressed by T cells, B cells, NKT cells and monocytes upon activation.
Purity	>95% by SDS PAGE
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA6133PE 10041
Regulatory	For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21
 To

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50
 find a

 Email: antibody_sales_us@bio-rad.com
 Email: antibody_sales_uk@bio-rad.com
 Email: antibody_sales_de@bio-rad.com

'M417289:230308'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint