Datasheet: MCA6134 BATCH NUMBER 166921

Description:	MOUSE ANTI HUMAN CD30
Specificity:	CD30
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	Ber-H8
lsotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•					
	Immunohistology - Frozen	-					
	Immunohistology - Paraffin	-					
	Where this product has r necessarily exclude its us a guide only. It is recomn system using appropriate	se in sucł nended tł	n procedui nat the use	es. Suggested workin r titrates the product f	g dilutions are given as		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by supernatant	affinity cl	nromatogr	aphy on Protein A fror	n tissue culture		
Buffer Solution	Phosphate buffered salin	Ie					
Preservative Stabilisers	<0.1% Sodium Azide (Na	aN ₃)					
Approx. Protein Concentrations	IgG concentration 1.0 mg	g/ml					

External Database Links	UniProt: P28908 Related reagents
	rzosob Related reagents
	Entrez Gene:
	943 TNFRSF8 Related reagents
Synonyms	CD30, D1S166E
Specificity	Mouse anti Human CD30, clone Ber-H8 recognizes CD30 also known as Ki-1 or TNFRSF8, a 120 kDa type I transmembrane glycoprotein receptor that belongs to the Tumor necrosis factor super family. CD30 is expressed by subpopulations of mitogenstimulated T and B cell lymphoctyes and lymphoid neoplasms (<u>Weyden et al. 2017</u>).
	CD30L, also known as TNSF8 or CD153 is the ligand of CD30. Once activated by its ligand, the receptor transduces the signal via the recruitment of TNFR-associated factor (TRAF) and TRAF associating proteins to form a signaling complex. This complex can subsequently activate NFkB and MAPK signaling pathways propagating anti-apoptotic/pro-survival responses (<u>Muta and Podack 2013</u>). CD30 has been shown to be highly expressed in Hodgkin's lymphoma and anaplastic large cell lymphoma. Some research has also indicated that CD30 is associated with a range of non-hematopoetic pathologies, including germ cell tumors and testicular embryonal carcinomas (<u>Weyden et al. 2017</u>).
	This clone Ber-H8 has been used in flow cytometry experiments to measure CD30 surface expression levels on CD4+ cells upon treatment of cord blood with human heat shock protein 60 (<u>Aalbese et al. 2011</u>).
Purity	>95% by SDS PAGE
Storage	Store at +4°C. DO NOT FREEZE.
	This product should be stored undiluted.
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6134 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77)	<u>HRP</u>
Rabbit Anti Mouse IgG (STAR12)	<u>RPE</u>
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>

Goat Anti Mouse IgG IgA IgM	(STAR87) <u>Alk</u>	<u> Phos., HRP</u>		
Rabbit Anti Mouse IgG (STAF	89) <u>FI</u>	<u>-C</u>		
Goat Anti Mouse IgG (STAR7	6) <u>RF</u>	E		
Rabbit Anti Mouse IgG (STAF	813) <u>HF</u>	<u>P</u>		
Goat Anti Mouse IgG (H/L) (S	TAR117) <u>Alk</u>	<u> Phos.</u> , <u>DyLight®488</u> ,	DyLight®550,	
	Dy	Light®650, DyLight®68	80, DyLight®8	<u>00</u> ,
	<u>FI</u>	<u>C, HRP</u>		
Goat Anti Mouse IgG (Fc) (S1	AR120) <u>FI</u>	<u>C, HRP</u>		
Recommended Negative	Controls			
MOUSE IgG1 NEGATIVE CONT	ROL (MCA928)			
North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 8 Fax: +49 (0)

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401911:220718'

Email: antibody_sales_uk@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint

Email: antibody_sales_us@bio-rad.com