

## Datasheet: MCA6138PE

<b>Description:</b>	MOUSE ANTI HUMAN PERFORIN:RPE
<b>Specificity:</b>	PERFORIN
<b>Format:</b>	RPE
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	dG9
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	100 TESTS/1ml

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**(1) Membrane permeabilization is required for this application. The use of Leucoperm (Product Code [BUF09](#)) is recommended for this purpose.**

### Target Species

Human

### Species Cross Reactivity

Reacts with: Bovine

Does not react with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - liquid

### Max Ex/Em

Fluorophore	Excitation Max (nm)	Emission Max (nm)
RPE 488nm laser	496	578
RPE 561nm laser	546	578

### Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture

supernatant

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	<0.1% Sodium Azide (NaN <sub>3</sub> ) 0.2% Bovine Serum Albumin
<b>Immunogen</b>	Purified granules from human YT lymphoma cell line
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P14222</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">5551</a> PRF1 <a href="#">Related reagents</a>
<b>Synonyms</b>	PFP
<b>Specificity</b>	<p><b>Mouse anti Human perforin, clone dG9</b> recognizes perforin a 60-70 kDa glycoprotein largely expressed in CD8+ cytotoxic T lymphocytes and Natural Killer cells. It aids in defense against virus-infected or neoplastic cells by inducing apoptosis. Perforin achieves this by inserting a portion of its C-terminus region into the lipid membrane of the target in a calcium dependent manner. Subsequent polymerization with other perforin molecules forms a pore in the membrane. These pores allow the free influx and efflux of ions and proteins through the cell membrane. This disruption to homeostasis results in tonic shock which can ultimately lead to apoptosis and DNA degradation (<a href="#">Osinska et al. 2014</a>).</p> <p>Genetic abnormalities to the perforin gene have been shown to be linked to abnormal immune system functioning, the development of immune diseases as well as lymphomas and leukemias (<a href="#">Osinska et al. 2014</a>).</p> <p>This clone dG9 has been used in flow cytometry experiments to examine intracellular perforin in tumour specific CD8+ T cells incubated with autologous primary breast cancer cells and Tregs (<a href="#">Su et al. 2017</a>).</p>
<b>Purity</b>	>95% by SDS PAGE
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul
<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light.
<b>Guarantee</b>	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10041 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6138PE">https://www.bio-rad-antibodies.com/SDS/MCA6138PE</a> 10041

## Related Products

### Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL:RPE \(MCA691PE\)](#)

### Recommended Useful Reagents

[LEUCOPERM \(BUF09B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M404353:220822'

**Printed on 12 Aug 2023**