

Datasheet: MCA6142

Description:	RABBIT ANTI SRC
Specificity:	SRC
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	4F10B5
Isotype:	IgG
Quantity:	50 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/500 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	<p>Reacts with: Rat</p> <p>N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.</p>
Product Form	Purified IgG - liquid
Preparation	Purified IgG from from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<p>0.02% Sodium Azide</p> <p>50% Glycerol</p>
Immunogen	Recombinant protein of human SRC

**External Database
Links**

UniProt:

[P12931](#)

[Related reagents](#)

Entrez Gene:

[6714](#)

SRC

[Related reagents](#)

Synonyms

SRC1

Specificity

Rabbit anti SRC antibody recognizes proto-oncogene tyrosine-protein kinase Src, also known as Src1, p60-Src and c-Src.

c-Src is a ubiquitously-expressed cytoplasmic tyrosine kinase, important for regulating diverse cellular functions (Honda et al. 2018). c-Src was the first oncogene to be identified, over-expressed and abnormally activated in cancer cells, and is the cellular counterpart of v-Src, a cancer-causing gene found in the Rous sarcoma virus (Hunter and Sefton, 1980). Src functions as a complex molecular switch, which can self-modulate its activity in response to specific signals. This is achieved by a reciprocally regulatory mechanism involving Tyr416 and Tyr527, changing the tertiary structure of Src and controlling access to its active site (Knighton et al. 1991).

Storage

This product is shipped at ambient temperature.

Store at -20°C only.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10049 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA6142>
10049

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR124...) [HRP](#)

Sheep Anti Rabbit IgG (STAR35...) [RPE](#)

Goat Anti Rabbit IgG (Fc) (STAR121...) [Biotin](#), [FITC](#), [HRP](#)

**North & South
America**

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M441182:250523'

