

# Datasheet: MCA6144 BATCH NUMBER 100004195

Description:	RAT ANTI BrdU
Specificity:	BrdU
Other names:	5-BROMODEOXYURIDINE
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	RF06
Isotype:	lgG2a
Quantity:	0.1 mg

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunofluorescence	•			1/500

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Chemical	
Product Form	Purified IgG - lyophilized	
Reconstitution	Reconstitute with 0.1 ml distilled water	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	G from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	5% Trehalose	
Approx. Protein Concentrations	lgG concentration 1.0 mg/ml	

Immunogen	Bromodeoxyuridine
Specificity	Rat anti BrdU antibody, clone RF06 recognizes bromodeoxyuridine (known as BrdU or BrdUrd). BrdU is a synthetic thymidine analog, which is incorporated into the newly synthesized DNA during replication instead of thymidine.
	Antibody detection of incorporated BrdU in cellular DNA is extensively referenced as an accurate method to monitor cell proliferation in vivo and in vitro. In cell proliferation assays BrdU staining is coupled with the use of a dye that binds total DNA such as propidium iodide (PI). BrdU can be administered diluted in the culture medium or, in vivo via intraperitoneal injection, subcutaneous osmotic pump implants ( <a href="Tesfaiqzi et al. 2004">Tesfaiqzi et al. 2004</a> ) or in drinking water ( <a href="Moser et al. 2004">Moser et al. 2004</a> ).
	BrdU can be used as a thymidine analog in a wide range of organisms ranging from mammalian cells, through reptiles and amphibians to invertebrate species and plants.  Rat anti BrdU antibody, clone RF06, has been tested in immunofluorescence.
Storage	Store at -20°C only.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10121 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6144">https://www.bio-rad-antibodies.com/SDS/MCA6144</a> 1
Regulatory	For research purposes only

## **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...) FITC

Goat Anti Rat IgG (STAR73...) RPE

Rabbit Anti Rat IgG (STAR21...) HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

FITC

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

### Printed on 25 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint