

Datasheet: MCA6159GA

BATCH NUMBER 157931

Description:	MOUSE ANTI HUMAN C1s
Specificity:	C1s
Other names:	Complement C1s subcomponent
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	M81
Isotype:	lgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Form Purified IgG - liquid	
r armed 190 - Ilquid	
Preparation Purified IgG prepared by affinity ch	romatography on Protein G
Buffer Solution Phosphate buffered saline	
Preservative 0.09% Sodium Azide (NaN ₃)	

Approx. Protein Concentrations

IgG concentration 0.1 mg/ml

External Database Links

UniProt:

P09871 Related reagents

Entrez Gene:

716 C1S Related reagents

Specificity

Mouse anti Human C1s antibody, clone M81, recognizes human C1s, a subcomponent of complement component 1 (C1). This antibody recognizes an epitope around the binding site of C1s, in the IV domain and/or the V of the gamma domain and detects active and inactive C1s.

C1 is a large inactive plasma complex containing one subunit of C1q, 2 subunits of C1r and 2 C1s subunits, which are non-covalently bound together. C1 is the first responder in the classical activation pathway in the complement cascade (Noris & Remuzzi 2013). The classical pathway is initiated when the C1q subunit comes into close proximity of the Fc regions of immunoglobulin's that have bound close together to an antigen fixed on the surface of a pathogen. This binding by C1q results in the auto-activation of C1r which subsequently releases active C1s units. The newly released active C1s cleaves C4 and C2 creating C4b and C2a which then help to generate C3 convertase to continue the cascade (Janeway et al. 2001).

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6159GA

10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)

RPE
Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (STAR70...) FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M387835:210726'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint