

Datasheet: MCA6160GA

Description:	MOUSE ANTI HUMAN C3aR		
Specificity:	C3aR		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	17 (hC3aRZ8)		
Isotype:	lgG2b		
Quantity:	0.1 mg		

### **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen	-			
Functional Assays				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
External Database	UniProt:

### Q16581 Related reagents

### **Entrez Gene:**

719 C3AR1 Related reagents

Synonyms	AZ3B, C3R1, HNFAG09
Specificity	Mouse anti Human C3aR antibody, clone 1hC3aRZ8, recognizes the human receptor of C3a (C3aR), this clone is also known in the literature as clone hC3aRZ8. C3a is a ligand to the seven-transmembrane coupled receptor C3aR. C3aR is expressed in myeloid cells including monocytes, macrophages, dendritic cells as well as T cells, endothelial, epithelial, glial cells and neurons (Wang et al. 2019). The response of C3a binding to C3aR has been shown to be cell type specific. For example, in mast cells, C3a elicits a proinflammatory histamine degranulation response, whereas on neutrophils, C3a exhibits an anti-inflammatory response, through attenuation of neutrophil mobilization into circulation after injury (Mathern & Heeger 2015). Other functionalities have included leukocyte activation, vascular permeability and chemotaxis (Wang et al. 2019). Beyond its immune related functions C3aR has been shown to facilitate osteoclast differentiation and bone formation (Ignatius et al. 2011). It has also been shown to be up-regulated in multiple sclerosis, with increased expression on glial cells (Gasque et al. 1998).
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.  Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA6160GA">https://www.bio-rad-antibodies.com/SDS/MCA6160GA</a> 10040
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP

Goat Anti Mouse IgG (STAR70...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...)

Goat Anti Mouse IgG (STAR77...)

HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR76...)

**RPE** 

# **Recommended Negative Controls**

### MOUSE IgG2b NEGATIVE CONTROL (MCA691)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M441982:250528'

### Printed on 28 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint