

Datasheet: MCA617G

| Description: RAT ANTI HUMAN CD16 | |
|----------------------------------|---------------------|
| Specificity: | CD16 |
| Other names: | FcRIII |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | YFC120.5 |
| Isotype: | lgG2b |
| Quantity: | 0.2 mg |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | - | | | |
| Immunohistology - Frozen | • | | | |
| Immunohistology - Paraffin | | | | |
| ELISA | | | | |
| Immunoprecipitation | | | • | |
| Western Blotting | | | • | |

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

| Target Species | Human |
|-----------------------------|---|
| Species Cross Reactivity | Reacts with: Cat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant |

| Buffer Solution | Phosphate buffered saline |
|-----------------------------------|--|
| Preservative Stabilisers | 0.09% Sodium Azide |
| Carrier Free | Yes |
| Approx. Protein Concentrations | IgG concentration 1.0mg/ml |
| Immunogen | Human neutrophils. |
| External Database Links | UniProt: O75015 Related reagents P08637 Related reagents Entrez Gene: 2215 FCGR3B Related reagents 2214 FCGR3A Related reagents |
| Synonyms | CD16A, CD16B, FCG3, FCGR3, IGFR3 |
| RRID | AB_2104004 |
| Fusion Partners | Spleen cells from Lou rat fused with the rat myeloma cell line. Y3/Ag.1.2.3. |
| Specificity | Rat anti Human CD16 antibody, clone YFC120.5 binds to the leucocyte low affinity Fc receptor (Fc RIII), also known as CD16. The antigen is expressed by neutrophils, NK cells, K cells and a subpopulation of macrophages. It recognizes a ~50-70 kDa leukocyte surface antigen. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul. |
| References | Huizinga, T.W. et al. (1990) Maternal genomic neutrophil FcRIII deficiency leading to neonatal isoimmune neutropenia. Blood. 76: 1927-32. Drescher, B. et al. (2003) Glycosylation of FcgammaRIII in N163 as mechanism of regulating receptor affinity. Immunology. 110: 335-40. Orr, C.F. et al. (2005) A possible role for humoral immunity in the pathogenesis of Parkinson's disease. Brain. 128 (Pt 11): 2665-74. Vermeulen, B.L. et al. (2012) Natural killer cells: frequency, phenotype and function in healthy cats. Vet Immunol Immunopathol. 150: 69-78. Vermeulen, B.L. et al. (2013) Suppression of NK cells and regulatory T lymphocytes in cats naturally infected with feline infectious peritonitis virus. Vet Microbiol. 164: 46-59. |
| Storage | This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for |

short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

| Guarantee | 12 months from date of despatch |
|----------------------------------|--|
| Health And Safety Information | Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA617G 10040 |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

Rabbit Anti Rat IgG (STAR21...)

HRP

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Recommended Negative Controls

RAT IgG2b NEGATIVE CONTROL (MCA6006GA)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M381848:210512'

Printed on 11 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint