

## Datasheet: MCA6188GA

<b>Description:</b>	MOUSE ANTI HUMAN CXCL10
<b>Specificity:</b>	CXCL10
<b>Other names:</b>	IP-10
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	A01-2G1
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml

**Immunogen** *E. coli* derived recombinant human full length CXCL10 (Val22-Pro98)

---

**External Database**

**Links**

**UniProt:**

[P02778](#) [Related reagents](#)

**Entrez Gene:**

[3627](#) CXCL10 [Related reagents](#)

---

**Synonyms**

INP10, SCYB10

---

**Fusion Partners**

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

---

**Specificity**

**Mouse anti Human CXCL10 antibody, clone A01-2G1**, recognizes Chemokine C-X-C ligand 10 (CXCL10), also known as interferon- $\gamma$ -inducible protein 10 (IP-10), is a member of the C-X-C subfamily of chemokines. CXCL10 can be secreted by leukocytes, neutrophils, monocytes, endothelial cells, fibroblasts, thyrocytes and keratinocytes. CXCL10 plays a role in the recruitment of immune cells expressing its specific receptor, CXCR3. Beyond regulating immune cell migration, CXCL10 also plays a role in regulating cell growth and angiogenesis inhibition during tissue injury, development and maintenance. Under normal physiological conditions, CXCL10 is usually undetectable in most non-lymphoid tissues. Only upon induction of an immunoinflammatory response through infection or injury is CXCL10 then detected ([Muller et al. 2010](#)). As such, CXCL10 has been used as a biomarker of disease severity and as a prognostic indicator for various renal diseases ([Gao et al. 2020](#)).

This purified Mouse anti Human CXCL10 antibody, clone A01-2G1 (MCA6188GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human CXCL10 antibody, clone D03-4F4 ([MCA6189B](#)) as the detection antibody.

---

**Storage**

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee**

12 months from date of despatch

---

**Health And Safety Information**

Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/MCA6188GA>  
10040

---

**Regulatory**

For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight®800</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight®488</a> , <a href="#">DyLight®680</a> , <a href="#">DyLight®800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

### Recommended Useful Reagents

[MOUSE ANTI HUMAN CXCL10:Biotin \(MCA6189B\)](#)

### ELISA Matched Pair - Detection Antibody

[MOUSE ANTI HUMAN CXCL10:Biotin \(MCA6189B\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M384579:210513'

Printed on 18 Jan 2024