

## Datasheet: MCA6190GA

<b>Description:</b>	MOUSE ANTI HUMAN FIBRINOGEN
<b>Specificity:</b>	FIBRINOGEN
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	AB05-1F11
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Carrier Free</b>	Yes
<b>Approx. Protein Concentrations</b>	IgG concentration 1.0 mg/ml
<b>Immunogen</b>	Fibrinogen purified from human serum

**External Database  
Links**

**UniProt:**

[P02679](#)    [Related reagents](#)  
[P02671](#)    [Related reagents](#)  
[P02675](#)    [Related reagents](#)

**Entrez Gene:**

[2266](#)    FGG    [Related reagents](#)  
[2243](#)    FGA    [Related reagents](#)  
[2244](#)    FGB    [Related reagents](#)

---

**Fusion Partners**      Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

---

**Specificity**            **Mouse anti Human fibrinogen antibody, clone AB05-1F11** recognizes fibrinogen, a 340 kDa glycoprotein secreted by the liver which circulates in plasma as a soluble homodimer. The identical monomer subunits are linked by 17 disulfide bond and each subunit is composed of 3 polypeptide chains referred to as alpha, beta and gamma ([Tiscia & Margaglione 2018](#)).

In response to bleeding, the coagulation cascade is activated which results in the conversion of fibrinogen to fibrin. The resulting fibrin spontaneously forms polymers creating an insoluble gel which combines with platelets to form a spongy mass. This mass is the blood clot which subsequently hardens to prevent further bleeding from the blood vessel ([Tiscia & Margaglione 2018](#)). The impairment of this conversion from fibrinogen to fibrin is associated with a range of pathologies including coagulopathies, ischemic stroke and obstetrical complications. It is also implicated in various neurological diseases such as Alzheimer's, multiple sclerosis and traumatic central nervous system injury ([Petersen et al. 2018](#)).

The purified Mouse anti Human fibrinogen antibody, clone AB05-1F11 (MCA6190GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human fibrinogen antibody, clone AB10-3C12 (MCA6191B) as the detection antibody.

---

**Storage**                This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

---

**Guarantee**             12 months from date of despatch

---

**Health And Safety  
Information**            Material Safety Datasheet documentation #10040 available at:  
<https://www.bio-rad-antibodies.com/SDS/MCA6190GA>  
10040

---

**Regulatory**            For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	<a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR12...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR8...)	<a href="#">DyLight@800</a>
Goat Anti Mouse IgG (STAR76...)	<a href="#">RPE</a>
Rabbit Anti Mouse IgG (STAR9...)	<a href="#">FITC</a>
Goat Anti Mouse IgG (Fc) (STAR120...)	<a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG IgA IgM (STAR87...)	<a href="#">Alk. Phos.</a> , <a href="#">HRP</a>
Rabbit Anti Mouse IgG (STAR13...)	<a href="#">HRP</a>
Goat Anti Mouse IgG (H/L) (STAR117...)	<a href="#">Alk. Phos.</a> , <a href="#">DyLight@488</a> , <a href="#">DyLight@680</a> , <a href="#">DyLight@800</a> , <a href="#">FITC</a> , <a href="#">HRP</a>
Goat Anti Mouse IgG (STAR70...)	<a href="#">FITC</a>

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

### Recommended Useful Reagents

[MOUSE ANTI HUMAN FIBRINOGEN:Biotin \(MCA6191B\)](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)  
'M384206:210513'

Printed on 18 Jan 2024