

Datasheet: MCA6203B

Description:	MOUSE ANTI HUMAN CCL20:Biotin		
Specificity:	CCL20		
Other names:	MIP-3a		
Format:	Biotin		
Product Type:	Monoclonal Antibody		
Clone:	O03-3H12		
Isotype:	lgG1		
Quantity:	0.1 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA				1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	E. coli derived recombinant human full length CCL20 (Ala27-Met96)

External Database Links

UniProt:

P78556 Related reagents

Entrez Gene:

6364 CCL20 Related reagents

Synonyms

LARC, MIP3A, SCYA20

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human CCL20 antibody, clone O03-3H12, recognizes C-C motif chemokine 20, also known as LARC, MIP3A, and SCYA20. The chemokine CCL20 is expressed mostly in the lymphatic tissue, lung, and liver, and is produced by cells involved with the inflammatory and immune responses. CCL20 plays an important role in recruiting inflammatory cells to the site of infection or injury (Soto et al. 2017). However, CCL20 is involved with pathogenesis of chronic inflammatory disorders, specifically interstitial lung fibrosis and chronic obstructive pulmonary disease (COPD), and can contribute to tumor metastasis (Zhang et al. 2017). Inhibition of CCL20, along with its ligand CCR6, might have valuable therapeutic potential for treatment of autoimmune and inflammatory diseases, and is therefore a target of interest for drug discovery (Ranasinghe and Eri 2018).

Biotinylated Mouse anti Human CCL20 antibody, clone O03-3H12 (MCA6203B) can be used as a detection antibody in a sandwich ELISA with purified Mouse anti Human CCL20 antibody, clone J03-4D4 as the capture antibody.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6203B

10041

Regulatory

For research purposes only

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M384567:210513'

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint