

Datasheet: MCA6212GA

Description:	MOUSE ANTI HUMAN INTERLEUKIN-32
Specificity:	IL-32
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	E03-4C9
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA				1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	from tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	E. coli derived recombinant human interleukin-32 (Cys2-Lys13	31)

External Database Links

UniProt:

P24001 Related reagents

Entrez Gene:

9235 IL32 Related reagents

Synonyms

NK4, TAIF

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human interleukin-32 antibody, clone E03-4C9, recognizes interleukin-32 (IL-32), also known as NK4 and TAIF. IL-32 is a pro-inflammatory cytokine with roles in inflammation and immune regulation, and its expression is strongly regulated by pathogens and pro-inflammatory cytokines (Hong *et al.* 2017). IL-32 promotes inflammation by upregulating other inflammatory cytokines including TNF-α, IL-1β, IL-6, INF-γ, and IL-8 (<u>Al-Shobaili *et al.* 2018</u>). Accordingly, a role for IL-32 has been reported in the pathogenesis of chronic inflammatory diseases including IBD, COPD and RA (<u>Damen *et al.* 2017</u>). IL-32 is highly expressed in several cancer tissues, and plays a crucial role in cancer development through tumor initiation, cell proliferation, and tumor maintenance (<u>Yan *et al.* 2018</u>).

The purified Mouse anti Human interleukin-32 antibody, clone E03-4C9 (MCA6212GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human interleukin-32 antibody, clone B01-2A7 (MCA6213B) as the detection antibody.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6212GA

10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR76...) RPE

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR13...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®680,

DyLight®800, FITC, HRP

Goat Anti Mouse IgG (STAR70...) FITC

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Recommended Useful Reagents

MOUSE ANTI HUMAN INTERLEUKIN-32:Biotin (MCA6213B)
RECOMBINANT HUMAN INTERLEUKIN-32A (PHP301)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M384121:210513'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint