

Datasheet: MCA6213B

BATCH NUMBER 100005153

Description:	MOUSE ANTI HUMAN INTERLEUKIN-32:Biotin
Specificity:	IL-32
Format:	Biotin
Product Type:	Monoclonal Antibody
Clone:	B01-2A7
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide (NaN ₃)
Stabilisers	1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	<i>E. coli</i> derived recombinant human interleukin-32 (Cys2-Lys131)

**External Database
Links**

UniProt:

[P24001](#) [Related reagents](#)

Entrez Gene:

[9235](#) IL32 [Related reagents](#)

Synonyms

NK4, TAIF

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human interleukin-32 antibody, clone B01-2A7, recognizes interleukin-32 (IL-32), also known as NK4 and TAIF. IL-32 is a pro-inflammatory cytokine with roles in inflammation and immune regulation, and its expression is strongly regulated by pathogens and pro-inflammatory cytokines ([Hong *et al.* 2017](#)). IL-32 promotes inflammation by upregulating other inflammatory cytokines including TNF- α , IL-1 β , IL-6, INF- γ , and IL-8 ([Al-Shobaili *et al.* 2018](#)). Accordingly, a role for IL-32 has been reported in the pathogenesis of chronic inflammatory diseases including IBD, COPD and RA ([Damen *et al.* 2017](#)). IL-32 is highly expressed in several cancer tissues, and plays a crucial role in cancer development through tumor initiation, cell proliferation, and tumor maintenance ([Yan *et al.* 2018](#)).

The biotinylated Mouse anti Human interleukin-32 antibody, clone B01-2A7 (MCA6213B) can be used as a detection antibody in a sandwich ELISA with the purified Mouse anti Human interleukin-32 antibody, clone E03-4C9 ([MCA6212GA](#)) as the capture antibody.

Storage

Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10041 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA6213B>
10041

Regulatory

For research purposes only

Related Products

Recommended Useful Reagents

[MOUSE ANTI HUMAN INTERLEUKIN-32 \(MCA6212GA\)](#)

[RECOMBINANT HUMAN INTERLEUKIN-32A \(PHP301\)](#)

**North & South
America**

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M378796:210304'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)