Datasheet: MCA6224GA BATCH NUMBER 100005286

MOUSE ANTI HUMAN CXCL		
CXCL7		
Platelet basic protein		
Purified		
Monoclonal Antibody		
C11-5G10		
lgG1		
0.1 mg		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	ELISA	•			1.0 ug/ml		
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.						
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered salir	ne					
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)						
Carrier Free	Yes						
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml					

Immunogen

External Database Links	UniProt: <u>P02775</u> <u>Related reagents</u>
	Entrez Gene:
	5473 PPBP <u>Related reagents</u>
Synonyms	CTAP3, CXCL7, SCYB7, TGB1, THBGB1
Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
Specificity	Mouse anti Human CXCL7 antibody, clone C11-5G10, recognizes C-X-C motif chemokine 7 (CXCL7), also known as Platelet Basic Protein, a platelet derived growth factor belonging to the C-X-C subfamily of chemokines. Expression of CXCL7 is largely restricted to platelets where it is produced as an inactive precursor. Upon tissue injury or infection, CXCL7 is one of the first chemokines to appear at the focal sites to mediate neutrophil recruitment after it has been modified by a series of cleavage and activation steps. CXCL7 mediates neutrophil recruitment through binding of its receptors CXCR1 or CXCR2.
	CXCL7 has been noted as playing important roles in tumorigenesis and has been associated with the proliferation and metastasis of a range of tumor types (Brown <i>et al.</i> 2017). As such, there have been a range of studies performed testing the use of serum CXCL7 as a diagnostic biomarker in colorectal cancer, lung cancer and renal cell carcinoma samples (Li <i>et al.</i> 2019, Kinouchi <i>et al.</i> 2017, Du <i>et al.</i> 2018). These studies have suggested that serum CXCL7 may be a sensitive and specific biomarker for the diagnosis of these cancer types.
	The purified Mouse anti Human CXCL7 antibody, clone C11-5G10 (MCA6224GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human CXCL7 antibody, clone C06-4A3 (<u>MCA6225B</u>) as the detection antibody.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA6224GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit A	nti Mouse IgG (STAR12	.) <u>R</u>	PE					
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>								
Goat Ant	i Mouse IgG (STAR76)	R	PE					
Rabbit A	nti Mouse IgG (STAR13	.) <u>H</u>	<u>RP</u>					
Goat Ant	i Mouse IgG (STAR70)	E	<u>ITC</u>					
Goat Ant	i Mouse IgG (H/L) (STAR	117) <u>A</u>	<u>lk. Phos.</u> , <u>DyLight®488</u> ,	DyLight®550,				
		D	yLight®650, DyLight®68	0, DyLight®8	<u>00,</u>			
		E	ITC, HRP					
Rabbit A	nti Mouse IgG (STAR9)	E	<u>ITC</u>					
Goat Ant	Mouse IgG (STAR77)	H	<u>RP</u>					
Goat Ant	i Mouse IgG (Fc) (STAR1	20) <u>F</u>	ITC, HRP					
ELISA Matched Pair - Detection Antibody								
MOUSE ANTI HUMAN CXCL7:Biotin (MCA6225B)								
North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-rac	.com	Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com			
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets								

'M386382:210521'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint