

Datasheet: MCA6227B

Description:	MOUSE ANTI HUMAN CYSTATIN C:Biotin
Specificity:	CYSTATIN C
Format:	Biotin
Product Type:	Monoclonal Antibody
Clone:	E01-8H8
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	<i>E. coli</i> derived recombinant human full length cystatin C (Ser27-Ala146)
External Database Links	UniProt:

[P01034](#) [Related reagents](#)

Entrez Gene:

[1471](#) CST3 [Related reagents](#)

Fusion Partners	Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0
------------------------	---

Specificity	<p>Mouse anti Human cystatin C antibody, clone E01-8H8 , recognizes cystatin C, a small non-glycosylated 13.3 kDa basic cysteine inhibitor and a member of the Cystatin superfamily. Cystatin C is widely expressed in all nucleated cells in the body. It is also secreted from cells into circulation and other biological fluids including urine, seminal fluid, saliva and cerebrospinal fluid (Mussap & Plebani 2004).</p> <p>Cystatin C specifically inhibits cysteine proteases such as papain, legumain and the cathepsins B, H, K, L and S. Through the regulation of cysteine proteases, it plays a role in various biological processes including immune responses, protein turnover, phagocytosis, antigen presentation and apoptosis (Zi & Xu 2018). When released into the blood, cystatin C is filtered by the glomerous and metabolised by proximal tubular cells. Because of this filtration of cystatin C by the kidneys, this inhibitor is commonly used clinically as a biomarker of kidney function. (Zi & Xu 2018). Within immunological processes, cystatin C regulates proteolytic processing of pro-granzymes, MHC II antigen presentation and maturation of dendritic cells (Pierre & Mellman 1998).</p> <p>Cystatin C is encoded by the gene CST3 and mutations of this gene are responsible for the heritable disease, cerebral amyloid angiopathy (Jurczak et al. 2016).</p> <p>The biotinylated Mouse anti Human cystatin C antibody, clone E01-8H8 (MCA6227B) can be used as a detection antibody in a sandwich ELISA with the purified Mouse anti Human cystatin C antibody, clone B01-8B1 (MCA6226GA) as the capture antibody.</p>
--------------------	--

Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
----------------	---

Guarantee	12 months from date of despatch
------------------	---------------------------------

Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA6227B 10041
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Useful Reagents

[MOUSE ANTI HUMAN CYSTATIN C \(MCA6226GA\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M384210:210513'

Printed on 26 Jun 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)