

Datasheet: MCA6231B BATCH NUMBER 100008269

Description:	MOUSE ANTI HUMAN GM-CSF:Biotin
Specificity:	GM-CSF
Format:	Biotin
<b>Product Type:</b>	Monoclonal Antibody
Clone:	E04-5B11
Isotype:	lgG1
Quantity:	0.1 mg

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	-			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human	
Product Form	Purified IgG conjugated to Biotin - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G supernatant	From tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin	
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml	
Immunogen	E. coli. derived recombinant human GM-CSF (Ala18-Glu144)	

### External Database Links

**UniProt:** 

P04141 Related reagents

**Entrez Gene:** 

1437 CSF2 Related reagents

**Synonyms** 

**GMCSF** 

**Fusion Partners** 

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

**Specificity** 

Mouse anti Human GM-CSF antibody, clone E04-5B11, recognizes Granulocyte-Macrophage Colony-Stimulating Factor (GM-CSF) also known as colony stimulating factor 2. GM-CSF is a cytokine and acts as a hematopoietic grown factor and immune modulator of various immune cells. It is produced by immune cells including T cells and macrophages as well as endothelial and fibroblast cells. GM-CSF has various functions such as roles in recruiting circulating neutrophils, monocytes and lymphocytes (Shi et al. 2006). It is also involved in the maturation and activation of neutrophils and macrophages to induce microbial activity and the production of cytokines. GM-CSF elicits these functions through signaling via its receptor GM-CSFR to activate NF-kappaB or STAT5 signaling pathways (Dougan et al. 2019).

The biotinylated Mouse anti Human GM-CSF antibody, clone E04-5B11 (MCA6231B) can be used as a detection antibody in a sandwich ELISA with the purified Mouse anti Human GM-CSF antibody, clone E01-1B6 (MCA6230GA) as the capture antibody.

**Storage** 

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

https://www.bio-rad-antibodies.com/SDS/MCA6231B

10041

Regulatory

For research purposes only

# Related Products

## **Recommended Useful Reagents**

MOUSE ANTI HUMAN GM-CSF (MCA6230GA)

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint