

Datasheet: MCA6234GA

Description:	MOUSE ANTI HUMAN HAPTOGLOBIN
Specificity:	HAPTOGLOBIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	E07-10E9
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	▪			1.0 ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Native haptoglobin purified from human plasma

**External Database
Links**

UniProt:

[P00738](#) [Related reagents](#)

Entrez Gene:

[3240](#) HP [Related reagents](#)

Fusion Partners

Cell fusion between immunized BALB/c mouse spleen cells and mouse myeloma SP2/0

Specificity

Mouse anti Human haptoglobin antibody, clone E07-10E9, recognizes haptoglobin, an alpha sialoglycoprotein. Synthesis of haptoglobin is induced by IL-6, IL-1 beta and TNF and it is produced as a pro-protein before it is cleaved in the endoplasmic reticulum by C1r-like protein, to generate the mature form ([Redmond et al. 2018](#)). Haptoglobin is composed of two peptide chains referred to as the alpha and beta chains. It is largely expressed by hepatocytes, but is also expressed to a lesser extent in lung, skin and kidney tissues ([Vanuytsel et al. 2013](#)). A key role of haptoglobin is its hemoglobin binding capacity, which is utilized during hemolysis to prevent iron loss and subsequent kidney damage. The haptoglobin-hemoglobin complex is removed by the CD163 receptor expressed on the surface of monocytes and macrophages ([Sadrzadeh & Bozorgmehr 2004](#)). Haptoglobin also plays roles in the innate and adaptive immune system and has anti-inflammatory activity such as inhibiting monocyte production of TNF, IL-11 and IL-12 ([Arredouani et al. 2005](#)).

The purified Mouse anti Human haptoglobin antibody, clone E07-10E9 (MCA6234GA) can be used as a capture antibody in a sandwich ELISA with the biotinylated Mouse anti Human haptoglobin antibody, clone C08-1E10 ([MCA6235B](#)) as the detection antibody.

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/MCA6234GA>
10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight@800

Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@550](#),
[DyLight@650](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

ELISA Matched Pair - Detection Antibody

[MOUSE ANTI HUMAN HAPTOGLOBIN:Biotin \(MCA6235B\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M390648:210924'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)