

Datasheet: MCA623GA

### **BATCH NUMBER 1705**

Description:	MOUSE ANTI CAT IgG/A/M	
Specificity:	IgG IgA IgM	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	K185 4D4	
Isotype:	lgG1	
Quantity:	0.1 mg	

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA	•			1/2,000 - 1/20,000
Immunoprecipitation				
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Cat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Carrier Free	Yes

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Feline IgM
Fusion Partners	Spleen cells from immunized mice were fused with cells of the mouse P3-X63-Ag8.653 myeloma cell line
Specificity	<b>Mouse anti Cat IgG/A/M, clone K185 4D4</b> recognizes feline immunoglobulins, binding to the IgA, IgG, and IgM classes.
	In cat serum and mucosal secretions IgG, IgM, and IgA are the three major classes of immunoglobulins present. In serum IgG is the most abundant, followed by IgA and IgM ( <u>Harley et al.1998</u> ). However, in feline saliva IgA is found at a higher concentration than IgG, with IgM at the lowest levels ( <u>Harley et al.1998</u> ).
References	1. Norris, C.R. <i>et al.</i> (2003) Production of polyclonal antisera against feline immunoglobulin E and its use in an ELISA in cats with experimentally induced asthma. <u>Vet Immunol Immunopathol. 96: 149-57.</u>
Storage	Store at +4°C or at -20°C if preferred.  This product should be stored undiluted.
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA623GA">https://www.bio-rad-antibodies.com/SDS/MCA623GA</a> 10040
Regulatory	For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...)

Alk. Phos., DyLight®488, DyLight®550, DyLight®650, DyLight®680, DyLight®800, FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...)

HRP

Goat Anti Mouse IgG (Fc) (STAR120...)

FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M368727:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint